


2/242

YEAR BOOK  
OF THE  
HEATHER  
SOCIETY



1970





# THE HEATHER SOCIETY



## *President:*

MR FRED J. CHAPPLE

## *Vice-Presidents:*

MRS RONALD GRAY

MR J. P. ARDRON

MR DAVID MCCLINTOCK

MRS DAVID METHENY

MR HAROLD COPELAND

MR P. S. PATRICK

## *Chairman:*

SIR JOHN CHARRINGTON

## *Secretary and Treasurer:*

MRS C. I. MACLEOD

Yew Trees, Horley Row, Horley, Surrey

Tel: Horley 2080

## *Committee:*

MRS A. H. BOWERMAN

MRS M. PALMER

MR H. C. ELLIS

MR H. L. NICHOLSON

MR A. H. BOWERMAN

MR B. G. LONDON

MR G. MITCHELL

MR F. J. STEVENS

*Ex officio:* as above.

## *Editor:*

MR P. S. PATRICK, c/o The Secretary (address as above) to whom all communications relating to the Year Book should be sent.

## *Advertising Manager:*

MR B. G. LONDON

## CONTENTS

THE EDITOR .. .. .	1
THE SECRETARY/TREASURER'S REPORT .. ..	2
SOME NOTES FROM THE CHAIRMAN .. .. .	3
AN ANONYMOUS READER OF FORTY YEARS AGO	5
A BRIEF BIBLIOGRAPHY OF HEATHERS <i>D. McClintock</i>	7
THE HEATHER REGISTRATION AUTHORITY .. ..	15
<i>ERICA MULTIFLORA</i> <i>Mrs Ronald Gray</i> .. ..	16
ACROSS THE ATLANTIC <i>Mrs P. Harper</i> .. ..	18
HARLOW CAR: LOOKING AHEAD <i>J. P. Ardron</i> ..	22
GROWING HEATHERS AS A HOBBY <i>H. Hale</i> .. ..	25
HEATHERS, GLASS AND IGNORANCE <i>J. R. Tyson</i> ..	29
HEATHERS IN NORTH CAROLINA <i>Mrs H. Allen</i> ..	31
PLANT PATENTS .. .. .	34
<i>DABOECIA CANTABRICA</i> AT HOME <i>D. A. Richards</i> ..	36
DEVIL'S SAFFRON <i>Mrs P. Kimber</i> .. .. .	39
NETHERLANDS NOTE <i>H. L. Nicholson</i> .. .. .	40
IS IT CORRECTLY NAMED? <i>W. L. Lead</i> .. .. .	41
MID-SUMMER MADNESS <i>B. R. Malin</i> .. .. .	44
HEATHERS AND ROSES <i>Anon.</i> .. .. .	45
THE CHANGING GRIP ON SPADES ( <i>Reprint</i> ) .. ..	47
LIST OF MEMBERS .. .. .	50



## *From the Editor*

I shall chiefly remember 1969 as the year when I spent the whole of the heather season in a hospital bed. Consequently I have been dependent on others to know what has been happening in the heather world, and am doubly grateful for the help I have had in the preparation of this Year Book. After a major operation in the spring Mrs MacLeod had herself spent some months in hospital, and when she finally returned home movement was both painful and difficult for a long period. Despite the physical handicap and the fact that her own section increases year by year, Mrs MacLeod has done much of the Editor's work for him; Mr B. G. London has also helped by again acting as Advertisement Manager. To them, and the Committee for the backing they have given me, my most grateful thanks. The thanks of the Society are due to our advertisers, to whom please give your support.

In the history of the Society, 1969 may well be remembered as the year in which *A Guide to the Naming of Plants, with special reference to Heathers* was published. We owe the inception and writing of it to Mr David McClintock, helped in the design and printing, he tells me, by some of his staff. The idea for such a publication was suggested to the Committee by Mr McClintock, who won over any 'doubting Thomases' there may have been to the usefulness of such a book, so that finally we heartily endorsed it. Now, after a remarkably short time it has appeared in a most pleasing form. The grateful thanks of the Society are indeed due to Mr McClintock.

When I looked through the proofs I wished it could be abridged, and said so to the author. Now that I have my copy I have changed my mind. 'Comprehensive' is the only word to describe the contents, for there are 41 items of botanical questions asked and answered, 'A Commentary on the Names of our Hardy Heathers' (no less than 30 species and hybrids are listed), there are sections on summer and winter hybrids, and the correct spelling and naming of species and cultivars, for many of which we have seen some weird names given in the past.

As stated in the Introduction, the booklet 'seeks to set out in simple terms the chief principles on which the correct naming of plants is based'; it has appeared at a most appropriate time as we, the Heather Society, are now the International Registration Authority for garden heathers. What this really means to us is fully explained on page 15 of this issue, where full details are given. To quote the author of that article, this 'is both an honour and a duty, should widen our usefulness and benefit everyone'.

This booklet should be a necessary companion to all, amateur and professional, who grow heathers or write about them, and to students. Copies have already been sent to botanic and other gardens and learned societies throughout the world, and it is hoped members will take every opportunity to introduce this book to any of their friends to whom it would be useful. Copies may be had from Mrs MacLeod, price 6s.6d. post free.

A secretary of another specialist society has written to say he 'wishes he had thought of writing such a booklet'. I could never have attempted it, but am immensely grateful it has been written, and especially by one of our members.



## *The Secretary/Treasurer's Report*

As the Secretary has her say in the three Bulletins, it is rather as Treasurer that I speak now. However, I must remind members that the Annual General Meeting in its new form as a 'Conversazione' with tea and sherry will be held on Wednesday, April 29th, 1970, at 5 p.m. at 19 Rochester Row, S.W.1. Again, we have to thank Mr David McClintock and the Coal Utilisation Council for making this pleasant meeting available. Mr H. C. Prew, our Slide Librarian, hopes to attend with a selection of our Society's slides.

As you are aware, our financial year ends on March 31st. In 1969 this could not be adhered to and the Balance




Sheet and Income and Expenditure Accounts had conflicting dates, as a few members pointed out. Another trend is that, owing to our 'advertising push' each autumn, new members tend to join more in the last quarter of the year than at any other time. It has therefore been established that these do not pay again in the following March but are reminded in October or November. Members who were thus reminded in November 1969 were told of the combined husband/wife joint subscription of 30s. to become available in March 1970. Just to make quite sure, I am telling you now that only one set of Bulletins, Year Book, A.G.M. notices, etc., will be sent to joint subscribers.

Postage, as we all know, has become such a serious matter that overseas members who wish to have their books and Bulletins sent by air are asked for a slight increase in their 'dues'. Some of them have been doing this voluntarily for several years, for which we have been grateful.

Unfortunately, each year sees a loss of members, so that as I draw up the list we have not reached the 700 referred to in Mr McClintock's booklet. We have, however, been encouraged by an increasing number of younger members, because, in the nature of things, many of our lost members have had to give up their gardens on account of increasing age. One charming incident: a lady member of 83, on being reminded (with my usual tact!), sent her delayed subscription with the words: 'You win! I had meant to resign this year.' May she go on in our company for many years yet!

C. I. MACLEOD



## *Some notes from the Chairman*

*Sir John Charrington, Crockham Hill, Kent*

Early in September 1969 the R.H.S. included a competition for heathers in a Fortnightly Show and I think that all who saw the display will agree that it was a success. The judging seemed to me an improvement upon previous

exhibits; though how *E. Tetralix* 'Alba Mollis' came to win first place for Foliage Varieties puzzled me and, no doubt, others. The considerable number of vases on display must have been helpful in demonstrating to visitors how varied and attractive heathers are and should lead to an increase in those who grow them. This is one of the purposes of the Society, and I feel confident that if there were no Heather Society there would have been no competition on September 9th.

In previous notes I have alluded to the menace of leaves in the late autumn, for when they settle in the centre of a heather plant in a sodden mass they seem to harm the plant. If the leaves fall to the ground, no doubt no harm is done. I have a large bed of *E. carnea* 'Springwood Pink' all too near to some beech trees, and I have recently found that if I rake over the tops of the plants with a rubber rake one can get rid of many leaves without the damage to the blooms which are forming which a steel rake would do. I can commend these rubber rakes to those with similar problems.

Whilst we all regard the Cornish heather as *E. vagans*, I am particularly fond of two specimens of *Calluna vulgaris* 'Mullion' and 'Kynance' which must surely have come from Cornwall in view of their names. They grow freely, are stocky, and flower abundantly.

As a contrast to these freely growing varieties, I have been disappointed at the slow growth of *Calluna vulgaris* 'J. H. Hamilton'. A few years ago I cleared an herbaceous border and planted instead 250 plants of this variety. They were excellent plants and it is a beautiful heather, but they are growing rather painfully slowly, and I still have more hoeing to do than I had expected.

I have referred previously to plague spots where plants go on dying for no clear reason. Four years ago I planted 12 *Calluna vulgaris* 'Pygmea' which have done well until this year. By July I found that more than half had died off and the rest look sickly. They are admittedly high up on a rock garden and so might have gone dry at the roots, but why this variety should go in this way when others quite close have remained happy is one more of my unsolved mysteries.

Where I have comparatively small plague spots in the



middle of my heather garden I have planted one or two *Thuya* 'Rheingold' which I hope will overcome whatever kills the heathers. It seems a good way to fill in a barren space.

May I, Mr Editor, beg a few lines to pay tribute to my friend, David McClintock, who has done so much to raise the repute of our Society? Already a man with a very wide reputation in the botanical and horticultural worlds, he will never miss an opportunity to help us. His *Guide to the Naming of Plants* is a further example of his skill, deep interest and enthusiasm for his subject, and I am proud that he is now a Vice President of the Heather Society.

## *An anonymous reader of 40 years ago*

*Fred J. Chapple, Port Erin, Isle of Man*

This article is written mainly for those who are comparatively new to heather growing.

A slender volume, *The Hardy Heaths* by A. T. Johnson, was published as a *Gardeners' Chronicle* Handbook in 1928. I gave my copy away to an old friend. Some years later I bought another one, in good condition, from a street barrow-stall for sixpence. The book had no name of the previous owner inside, but he (or she) had made a number of neat marginal notes, to which I refer. (A.T.J. denotes A. T. Johnson; A.R.C. the Anonymous Reader's comments; M.R. my reply.)

A.T.J.: There is only one species of *Calluna*, but its named varieties are exceedingly numerous.

A.R.C.: There is a coloured and a white variety to every *Calluna*.

M.R.: This is not so. Coloured varieties, e.g. 'Cuprea', 'Tenuis', 'Alportii' and many others, have no white counterpart.

*Calluna vulg.* 'Alportii'.

A.R.C.: Is very apt to become scraggy with long bare stems from which it is impossible to make young growth appear.

M.R.: The fault here is that the plant should not have been allowed to get scraggy and bare. In my opinion it is essential to cut back certain hard wood varieties, such as 'Alportii' and 'H. E. Beale', each year in early spring. Faded blooms should be removed and hard wood cut away. When 'Barnett Anley' was scarcely known I had the good fortune to receive two or three plants from Mr George Jackman and Mrs Gwendolyn Anley. So many cuttings were taken from one of them that the plant had been cut back to less than three inches from the ground. It did not take long for new growth, vigorous and plentiful, to appear; the plant bushed out into a fine shape, with dense foliage from which it flowered well. An important point to remember in cutting Callunas back is to always leave some foliage on the stems.

*Calluna vulg.* 'Cuprea'.

A.R.C.: The very best of all Callunas and it has a decent white variety.

M.R.: The R.H.S. gave 'Cuprea' a First Class Certificate in 1873, 96 years ago. That award holds good to this day, in the sustained merit of the plant. 'The very best of all Callunas', says the Anonymous Reader. One would have thought 'Aurea', another very old variety, to have been judged as good as 'Cuprea'. Since Mr J. W. Sparkes showered his rainbow colours upon us 'Cuprea' has been in the background. I am unaware of a white form.

*E. cinerea* 'Coccinea'.

A.T.J.: This is perhaps the most remarkable of the group, being very dwarf (six inches) and flowers of an intense blood crimson.

A.R.C.: If *only* it were not so difficult to please.

M.R.: A little teaser. No one knows of the garden owned by the A.R. nor the town in which he lived. He is not the only one who has run into trouble with this plant.



Being dwarf with roots near the surface it is badly injured in a hard winter; this has been my experience. Damage done by a severe late frost retards spring growth.

Query: Do members find *E. cinerea* 'Coccinea' difficult to please? Please let us know in the Bulletin.

No doubt Mr A. T. Johnson, one of the greatest shrub gardeners of the century, if alive today would have been flattered to find his book so freely marked. Whether he would have been flattered by the observations is quite another matter!

## *A Brief Bibliography of Heathers*

*David McClintock, Platt, Kent*

Remarkably few books have been published on heathers, hardy or otherwise. Present knowledge about them has been built up in large measure from numerous contributions to, or comments in, scientific and gardening publications and a host of nurserymen's catalogues. An attempt to list these would be a very large undertaking.

The notes below are in three groups. The first deals with bound books solely on heathers; the next lists some major sources in other publications; while the third refers to a very few of the shorter papers, chosen largely for their good references.

The first book on hardy heathers appeared only 43 years ago. This reflects the fact that "heaths" throughout the nineteenth century, although decreasingly towards the end, almost invariably meant Cape Heaths. Furthermore, those who grew them were mostly those who could afford green-houses and gardeners, and fine books.

Unfortunately, of all the books and major sources listed, I believe only A. T. Johnson's, Maxwell and Patrick's, Letts', and Baker and Oliver's books are still available. But a brand new one called *Heaths and Heathers* is scheduled for this autumn by David & Charles, written by Mr T.

Underhill of Dartington. I, myself, have all the twentieth-century books—all those published in the last 125 years!—in my own library; and have seen the remainder at Kew, the Natural History Museum, the Linnean Society, or the Lindley Library. I am grateful to the librarians at these institutions, Mr R. Desmond, Miss P. Edwards, Mr G. Bridson and Mr P. Stageman, for their help and advice. Your public library should also be able to get most of them for you to consult.

Precisely where there are which runs of which periodical can usually be ascertained from the three volumes of *The World List of Scientific Periodicals, 1900–1960*, and *Supplements*. This should also help in discovering where to see the papers listed annually in our Year Books. Librarians have other means of tracing books and references, and can usually arrange for extracts to be photo-copied.

### BOOKS

LINNAEUS, C. (1770) *de Erica*.

A dissertation in Latin which mentions about 60 heaths, 16 of them European. Carolus Linnaeus (1707–78), who ‘needs no introduction’, produced several such theses for disputation with his students.

THUNBERG, C. P. (1785) *de Erica*.

This dissertation incorporates some of what Carl Peter Thunberg (1743–1828) saw in South Africa. He describes in 62 pages, in Latin, 91 plants including European ones. There was a second Edition reprinted by R. A. Salisbury in 1800.

AITON, W. T. (1796) *Delineations of Exotick Plants* by F. A. Bauer.

William Townsend Aiton (1766–1849) succeeded his father as Royal Gardener at Kew in 1793, and was well known for the rest of his life. To Francis Bauer (1758–1840) Mr Wilfred Blunt gives ‘unhesitatingly the first place as the greatest botanical artist of all time’. The result here is 30 magnificent coloured folio engravings of South African Heaths, with, however, no text. Only 50 complete copies of this work were produced.

WENDLAND, J. C. (1798–1823) *Ericarum Icones et Descriptiones*. Hanover.



Johann Christian Wendland (1755–1828) was in charge of the Royal Gardens at Hanover and a friend of Regel. His 162 hand-coloured etchings are smaller and less clear than those in the last or the next work. Three hardy species are included.

ANDREWS, H. C. (1802–1830) *Coloured Engravings of Heaths*, 4 vols.  
(1804–1812) *The Heathery*, 6 vols. 2nd Edition 1845.

Henry Andrews was an artist at Kew who published both these works from his home at 5 Knightsbridge. The first contains 288 superb coloured folio engravings, including some of hardy heathers. The latter has smaller, coloured, pictures of 300 heathers. The Second Edition was published by H. G. Bohn.

WAITZ, C. F. (1805) *Beschreibung der Gattung und Arten der Heiden*. Altenburg.

Carl Friedrich Waitz (1774–1848), who was born and died in Altenburg, was at Jena at the time. His book, 335 pages, describes about 179 plants, including hardy species, in the first part, the second being devoted to cultivation, etc. It is therefore the earliest book of its kind.

SINCLAIR, G. (1825) *Hortus Ericaëus Woburnensis*.

George Sinclair (1786–1834) was a Scot in charge of the Gardens of the Sixth Duke of Bedford at Woburn, and a Fellow of the Linnean Society. This work lists 394 species and varieties grown there, including several hardy heathers. It has 51 pages.

McnAB, W. (1832) *A treatise on the . . . general treatment of Cape Heaths*. Edinburgh. T. Clark.

William McNab (1780–1848) was Head Gardener at the Royal Botanic Garden, Edinburgh, a specialist in heathers, and well known in his day. His book of 43 pages includes one listing the Hardy Heathers. This work was reprinted in the Notes from the Royal Botanic Garden, Edinburgh, in 1908.

REGEL, E. A. (1843) *Die Kultur und Aufzählung in der Deutschen und Englischen Garten befindlichen Eriken*.

Dr Eduard August von Regel (1815–92), the founder of

'Gartenflora', was at the time in Zürich: later he went to St Petersburg. His book describes 335 species, with various varieties, in 189 pages. This book reproduced his paper of 1841, 'Die Kultur von Eriken', in the *Verhandlungen des Vereins zur Beförderung des Gartenbaus*.

To the best of my knowledge, there was then no book on heathers published for 60 years until:

WALLACE, A. (1903) *The Heather in Lore, Lyric and Lay*. De la Mare, New York.

Alexander Wallace (1859–1908), an expatriate Scot, was then Editor of *The Florists Exchange*, a New York periodical. His book is full of odds and ends, as the title implies.

There was another gap, of 24 years, until:

MAXWELL, D. F. (1927) *The Low Road*. London, Sweet & Maxwell.

Douglas Fyfe Maxwell (1891–1963) founded the firm of Maxwell & Beale in Dorset. This book of his is the earliest dealing solely with the species and cultivars of the hardy heathers and their cultivation. 103 pages.

JOHNSON, A. T. (1928) *The Hardy Heaths. Gardeners' Chron.*  
(1956) *Hardy Heaths* (2nd Edition).  
Blandford.

Arthur Tysilio Johnson (1873–1956) lived most of his life in the Conway Valley in North Wales, finally as a garden journalist. The first edition of his book had 116 pages, the second 127. Both deal with the species and cultivars and their cultivation.

BEIJERINCK, W. (1940) *Calluna. A Monograph on the Scotch Heather*. Amsterdam. (Reprinted from the Transactions of the Royal Netherlands Scientific Academy, 1940. Vol. 38(4) pp.1–180.)

Dr Willem Beijerinck (1891–1960) founder of the Biological Station at Wijster, wrote numerous scientific papers, including several on heathers. This culminating work of his on the subject discusses them in many aspects, and groups all the *Calluna* forms taxonomically with Latin names. There are also 27 plates and a 16-page bibliography.



STEINMANN, W. (1947) *Das Heidekraut. Calluna vulgaris* (L.) Hull. Hamburg.

Fraulein Waltraut Steinmann's book is sub-titled 'A Botanical-Chemical-Pharmaceutical Description' of Ling. She gives a wide range of notes on its uses as a medical herb and on other aspects, plus a bibliography. Being produced just after the war, it is on poor paper in soft covers.

CEBRIAN, N. de BENITO (1948) *Brezales y Brezas*. Instituto Forestal, Madrid.

Sixty-seven useful pages, 30 on heather associations, 25 on 14 Spanish species, with a key, distribution maps and clear drawings.

CHAPPLE, F. J. (1952) *The Heather Garden*. Collingridge. (2nd Edition 1964.)

Mr Fred Chapple is well known as the Society's President. The first edition had 180 pages and the second 190. Both describe the species and cultivars and their cultivation.

LETTS, J. (1966) *Hardy Heaths and the Heather Garden*.

Mr John Letts is also well known, for his nursery at Windlesham, whence he has privately published this 127-page list of species and cultivars, with notes on cultivation. There are several colour plates.

MAXWELL, D. F. and PATRICK, P. S. (1966) *The English Heather Garden*. MacDonald.

184 pages dealing with the species and cultivars and their cultivation. Mr Patrick has spent many years with his heathers, some of it with Mr Maxwell, and is the Society's Editor.

BAKER, H. A. and OLIVER, E. G. H. (1967) *Ericas in Southern Africa*. Purnell.

Colonel Baker and Mr Oliver's book—the latter is a professional botanist in South Africa—refers to all the 605 species in Southern Africa. 167 of these are exquisitely illustrated in colour on 105 colour plates. The book has 246 pages.

#### OTHER MAJOR SOURCES

SALISBURY, R. A. (1802) '*Species of Erica*' in the *Transac-*

tions of the *Linnean Society*, vol. 6. pp. 316–338.

This is written in Latin, and enumerates about 216 species. It is here that *Calluna* is separated from *Erica*. Dr Richard Salisbury was an able but unpopular botanist, and a coiner of names.

BENTHAM, G. (1839) in A. P. de Candolle's *Prodromus Systematis Naturalis Regni Vegetabilis*, Part 7, pp. 612–694.

George Bentham (1800–1884), nephew of Jeremy Bentham, was the leading taxonomist of his age. In this work he described 429 species plus several varieties, divided into 49 sections and other sub-divisions. It also is written in Latin.

GUTHRIE, F. and BOLUS, H. (1905) in W. T. Thistleton-Dyer's '*Flora Capensis*', vol. 4(1), pp. 4–315.

Francis Guthrie (1831–1899) was Professor of Mathematics at Cape Town and Dr Harry Bolus (1834–1911) a stockbroker, partner in Bolus Bros. This scholarly contribution describes 469 species, plus varieties, and lists other taxa.

INGWERSEN, W. E. Th. (1947) '*The Genus Erica, including Calluna.*'

This was privately published, one of a series produced shortly after the war by Mr Ingwersen's firm, which he founded in 1925. He himself (1882–1960) was keen on heathers, like his son Will, and this work gives, in 20 pages, excellent information on the various hardy species and varieties.

HANSEN, I. (1950) *Botanische Jahrbucher* 75(1), pp. 1–81. '*Die Europäischen Arten der Gattung Erica L.*'

Frau Dr. Irmgard Hansen wrote from Berlin. Her paper is an invaluable discussion of the European Heathers and includes distribution maps.

LAMONT, I. (1951) '*Calluna vulgaris*. A review of the Literature.'

Miss Isabella Lamont's paper appears in an appendix to *Hill Farm Research*, pp. 57–78, published by the Stationery Office. It is a useful summary of numerous aspects, with a good bibliography, chiefly agricultural.

DULFER, H. (1964–5) '*Revision der Sudafrikanischen Arten*



der Gattung *Erica* L.' in *Annalen des Naturhistorischen Museums, Wien*, vol. 67, pp. 79–147; vol. 68, pp. 25–177.

This work is of great value, but Dr Dulfer, from Wilhelmsburg in Lower Austria, did not see South African Herbarium specimens. He has useful notes on European taxa, too.

### SHORTER PAPERS

It being so difficult to choose which to mention on any other basis, here are just half-a-dozen with particularly good bibliographies, and therefore clues to many other sources. The best series is the *Biological Flora*, the various parts of which can be obtained from Blackwell's Scientific Publications in Oxford, or seen in the relevant numbers of the *Journal of Ecology* (Botany). Those on the heathers are—

- |                  |        |                            |
|------------------|--------|----------------------------|
| D. A. Webb       | (1955) | <i>Erica Mackaiana</i>     |
| S. R. J. Woodall | (1958) | <i>Daboecia cantabrica</i> |
| C. H. Gimingham  | (1960) | <i>Calluna vulgaris</i>    |
| P. Bannister     | (1965) | <i>Erica cinerea</i>       |
| P. Bannister     | (1966) | <i>E. Tetralix</i>         |

Another on *E. 'mediterranea'* is in preparation, by Webb and Bannister.

These suffer from too few references to garden forms or conditions. The same is true also of the Commonwealth Bureau's (of Hurley, Berks.) *Herbage Abstracts* 'Index to *Calluna vulgaris*', 1938–68, where in fact the agricultural side predominates.

Other sources to papers on heathers are the various other series of abstracts, including *Horticultural Abstracts* from the Commonwealth Bureau's Horticultural Station at East Malling; the British Humanities Index of the Library Association, which lists articles in periodicals; the U.S. Department of Agriculture's *Botany Subject Index* 1958 (15 vols); the *Dictionary Catalog of the Library of Massachusetts's Horticultural Society*, 1962 (3 vols), both published by G. K. Hall, Boston; and the Indexes to the *R.H.S. Journal*, *A.G.S. Bulletin*, *Gardeners' Chronicle*, *The Garden*, and such other horticultural publications as have indexes, which in any event are probably not comprehensive. But in general only a small proportion of what there is to be gleaned on heathers has been indexed, so far.

## SOME RECENT WRITINGS ON HEATHERS

- ANON. (1969) 'A Salute to Heather.' *The Times*, October 15th, p. 9.
- ANDERSON, J. N. (1961) 'The Attraction of Tree Heaths' *Amateur Gardening*, November 22nd, pp. 24-5.
- BRICKELL, C. D. (1969) 'Notes from Wisley.' *Jnl. Royal Hort. Soc.* September. XCIV(9), 373-7.
- BRICKELL, C. D. and MCCLINTOCK, D. (1969) '*Erica* "Wishanger Pink".' *Jnl. Royal Hort. Soc.* March. XCIV(3), 136-7.
- CHOPINET, R. (1967-8) 'Les Bruyères rustiques'. *Bulletin de la Société des Amateurs de Jardin Alpin*. IV, Nos. 63 & 64; V, No. 65. (This appeared also in the *Revue Horticole*, January 1968, pp. 1429-32; March, pp. 1464-70; May, pp. 1496-1500; July, pp. 1528-32.)
- FORSYTH, G. (1969) 'Welcome to the Heathers.' *Daily Telegraph*, November 29th, 1969, p. 5.
- HOWARD, S. (1969) 'Plastic Pots will help spread your Heathers.' *Garden News*, August 29th, p. 11.
- KNEIPP, O. (1969) 'Eriken in Sudafrica.' *Gartenwelt* 69, pp. 409-11.
- KRANZ, H. (1968) 'Erikapflanzen in Torfpresstopfen.' *Gartenwelt* 68, pp. 386-7.
- MCCLINTOCK, D. (1969) 'Some notes on *Erica* "*mediterranea*".' *Irish Naturalist Journal*. April. Vol. 16, No. 6, pp. 154-8.
- MCCLINTOCK, D. (1969) '*Daboecia azorica* and its Hybrids with *D. cantabrica*.' *Jnl. Royal Hort. Soc.* XCIV(10), pp. 449-53.
- MITCHELL, M. (1969) 'Try Heaths.' *Garden News*, July 11th, p. 16.
- ROSE, D. (1969) 'Heathers—Advantages over Roses.' *Gardeners' Chronicle*. November 14th. Vol. 166(20), pp. 16-19.
- ROSS, R. (1969) *Watsonia*, Vol. 7, p. 164.
- TOWNSEND, D. W. H. (1969) 'The Heath Garden.' *Gardeners' Chronicle*. October 24th. Vol. 166(17), pp. 15-16.
- VERZELETTI, M. (1969) 'L'*Erica*, Una Planta de Scoprire.' *Il Giardino Florito*. XXXV(2), pp. 58-62.
- WILSHER, B. (1969) 'All Among the Heather.' *Popular Gardening*. November 1st, p. 21.



## *The Heather Registration Authority*

Members may have noticed Q. and A. 30 in our *Guide to the Naming of Plants*, and might like to know more about what it will mean that our Society has been appointed the International Registration Authority for garden heathers.

First, it should be said that, although this was accepted by the International Society for Horticultural Science's Committee for Horticultural Nomenclature and Registration(!) during the vast Botanical Congress at Seattle in August, it needs formal approval at the International Horticultural Congress at Tel Aviv from March 17th to 25th, 1970. Thereafter, the appointment will be publicised; and no new cultivar name for heathers will be valid unless registered with the Authority, while Societies such as the R.H.S. will give awards to no plants under an unregistered name. Registration is also of benefit to the applicant, in that he can be sure a name is really new and that his will refer to his plant and never to any other, anywhere; and equally, one hopes, that his plant will not be known by any other name. Pre-1970 names do not require to be registered, but it would help if they were. The information required includes the origin, when known, any testing done for constancy, etc., and a description of how the plant differs from existing varieties. For the very difficult matter to record in writing of colour, flower and foliage, a transparency would be the greatest help; and a dried specimen is also always welcome, while, preferably, a living plant should be sent to the collection at Harlow Car for a full comparison.

The Authority will deal with the genera *Andromeda*, *Bruckenthalia*, *Calluna*, *Daboecia* and *Erica*. This last genus needs special care, for the great majority of its species are South African and tender, but the International Commission did not wish it to be covered only in part, while the named cultivars seem at present to be relatively few. The Society is in touch with the main commercial grower of hybrid Cape Heaths in this country, who has already altered three of his names to avoid duplication with those already

in use for hardy varieties (cf. *Proceedings of R.H.S. Floral Committee 'C'* on September 23rd, 1965). Would any member who knows anyone else hybridising Cape Heaths, here, on the Continent, or indeed anywhere in the world, please help us to get, and keep, in touch, for mutual benefit?

In order that it may be known what names have already been given to heathers, one of the first duties of the Authority will be to produce a list of existing names. This is no mean task, with well over 1,000 to look into and account for, some of them errors, some of them misprints and many, no doubt, synonyms. What will probably be done is to issue a preliminary check-list, and follow that in due course with a standard version. Additions will be published in our Year Book—so will growers please send in details of their new cultivars as soon as they are definitely named? With care and help the cost of producing these lists should be covered by their sales. A fee is authorised for each registration to cover administrative costs. It has not yet been settled what this will be.

This international appointment of our Society, which is both an honour and a duty, should widen our usefulness and benefit everyone. Recommendations for the guidance of Registration Authorities are in Appendix 1 to the *International Code of Nomenclature of Cultivated Plants*. This is reprinted on page 424 of the recent Supplement to the *R.H.S. Dictionary*, together with the list of other Registration Authorities.

---

## *E. multiflora* L.

*Dr Violet Gray, Hindhead, Surrey*

*Erica multiflora* is a species of heath which deserves to be more widely known to heather lovers. It is probably not very hardy, which may account for its lack of popularity with nurserymen and heather enthusiasts. It cannot, however, be really tender, because it survived for 25 years at Hindhead (750 feet above sea level) and reached a height of five feet nine inches. Those 25 years included the winter



of 1947, but it was protected by an overhanging beech tree. My husband had great difficulty in getting successful cuttings from that original plant, but fortunately he got some going before the parent plant petered out owing to overgrowth of its competitors. The young plants progressed slowly, but I now have two plants of four feet five inches and one nearly six feet high. This taller plant was covered with rose pink racemes from August into November last year.

The best botanical description I know is in *Flora Complète de France, Suisse et Belgique*, Vol. 7, by Gaston Bonnier, and there is a beautiful coloured engraving in Andrews' *Coloured Engravings of Heathers*, Vol. 3. Although published 164 years ago it might have been made from my plant.

The *R.H.S. Dictionary of Gardening* describes it as an 'ascending shrub 12 to 18 inches high in cultivation, but sometimes a small tree in nature. Flowers November-February. S. Europe and Algeria. Resembles *Erica vagans* but less hardy.'

Mr McClintock showed some excellent dried specimens of *E. multiflora* at the Heather Society's Annual General Meeting in 1969. These were collected in February in Malta by Brig. and Mrs Montgomery.

Most writers refer to the confusion between *E. multiflora* and *E. vagans*. There would certainly be no confusion in the mind of anyone who saw one of my plants, but I must stress that they grow abnormally tall for the species. Nowhere in the literature is a height of more than 80 cm. mentioned. Certainly not six feet (180 cm.).

There are a number of features which distinguish *E. multiflora* from *E. vagans*. In formation it is a fairly compact bush from four to six feet high with rigid twiggy branches covered with rose pink racemes whose flowers hang gracefully down. I have seen no variation of colour range, such as we see in the Cornish heather, which is found in every colour from white to deep mauve. Nor does it show any tendency to wander, or indeed to spread horizontally at any time. Even the seedling plants have a strong central vertical spike.

There are a number of less obvious distinguishing

features of botanical interest. The racemes are shorter than in *E. vagans*, and never with a tuft of leaves at the top; and although the pedicels are of similar length, the weight of the longer flowers makes them tend to spread or hang. The flowers are larger, twice as long as broad, and the narrower calyx lobes are almost half the length of the corolla. The anther lobes are joined throughout the greater part of their length, whereas in *E. vagans* they are divergent to the base.

These points may not be of general interest, but *E. multiflora* is a heath which well deserves a place in the heather garden, where it improves the flat contour and is quite a spectacular tree heath in late summer and autumn. Unfortunately it is not very effective in winter (although, of course, it remains evergreen).



## *Across the Atlantic*

*Pamela Harper, Maryland, U.S.A.*

In early May we left the wild and beautiful State of Connecticut, with its rocks and lakes, its oaks and junipers, maples and mountain-laurel, its blue-skied summers and sunny but bitter winters—destination, Maryland.

By no means all of the one-in-five American families who relocate each year find the experience agreeable. We were fortunate and I have nothing but praise for the removal firm who packed our belongings, trucked and unloaded them, more or less on schedule and without damage or mess. State laws, however, do not permit them to carry plant material or livestock. Thus our Herald estate car was loaded to the roof with newly lifted heathers plus a small white mouse in its plastic garbage-can (dustbin) home—a misguided Christmas gift to our son. Following behind I saw with alarm that the estate car wheels, normally sloping slightly inward, were splayed out in knock-kneed fashion.

The grass was still winter brown when we left and patches of snow could still be seen in woodland hollows. We

by-passed New York and its rush-hour traffic, then through that blot on the earth the New Jersey industrial belt with its oil refineries, factories and eye-stinging, lung-choking acrid fumes. Southward to Delaware, where the grass showed signs of spring, and thence to Maryland, just south of the Mason-Dixon Line. Look on the map. From Connecticut to Maryland is 300 miles, which helps to explain why heather growers on the Atlantic seaboard are unlikely to meet those of the Pacific north-west—a distance ten times as great.

The journey was not without incident. The Herald (brought with us from England) being right-hand drive, Niki in the passenger seat was responsible for paying tolls at the booths positioned on the left. As it grew dark I followed them through one toll station to find the young collector gazing after them with bemused expression. Scratching his head he said, 'If the kid driving that car is more than 13, I'll eat my hat'.

Maryland, some 350 miles from east to west, extends from the Atlantic Ocean, through Chesapeake Bay tide-water country, on to gently rolling fields with their tobacco barns and prosperous, white-fenced farms, and then to more mountainous terrain. Already the season looked more advanced and spring reached Maryland soon after we did, the roadside a riot of honeysuckle (*Lonicera japonica* 'Halleana'—a rampant weed in this area but a lovely one), its massed blooms scenting the air for miles, fighting for space with the equally abundant *Rosa multiflora* which flowers a little later. Woodlands became edged and laced with dogwoods, *Cornus florida*, white (rarely pale pink) in its wild state, and here and there the redbuds, *Cercis canadensis*, with rosy-purple pea-like flowers. The pinxter-flower, *Rho. nudiflorum*, is another native, a name which has intrigued me since I read about it in Frederick Street's book on 'Azaleas'.

Gardens were gay with flowering crabs, cherries, almonds, dogwoods in the many garden varieties and azaleas by the thousand, grown more formally than in England as edgings for drives, low hedges or foundation plantings alongside the house. Vivid colours seemed to be preferred, typified by the rather garish 'Hino Crimson', causing me to reflect that



perhaps here one could colour list a plant as magenta without dooming it to obscurity.

Eagerly I searched for heaths, successlessly; only when I visited Longwood Gardens some time later was the search rewarded, though in ensuing months I did find other growers.

Heathers are not without problems in Maryland. Winters can be very cold, with frost 18 inches into the ground. This, combined with sun and wind, dehydrates foliage and causes dieback. Doubtless some species and cultivars will succumb (*E. hibernica*, *E. x darleyensis*, *E. terminalis* and many *E. cinerea* were badly cut by the first November frosts) but I am sure ample will prove garden-worthy. Summer poses other, perhaps greater, problems. July and August temperatures remain steadily in the 80's, combined with such humidity that stepping outside feels like being wrapped in a warm, wet blanket. I retreated to the comfortable 70 degrees of our air-conditioned house, but no such escape was possible for the heathers and they bore it remarkably well. Constant sunshine and heavy rainfall cause carneas in particular to grow so fast that they assume a lanky, elongated look unless grown in full sun with perfect drainage and poor soil. Weather conditions are, in fact, the antithesis of those in England, where regular drizzle keeps foliage moist without roots becoming saturated. Here rain comes as infrequent deluges, then the sun returns and the atmosphere resembles a Turkish bath. Under such conditions foliage starts to brown and rot, spreading rapidly from plant to plant with devastating effect. At first sign of this I applied the only treatments which occurred to me, namely, a Captan spray, a sulphur dust and a layer of gravel chippings under the foliage. This was effective but it is too soon to say whether it is the final answer to what appears to be a fungus problem.

Gradually I found that heathers *are* being grown, primarily by the enthusiastic and knowledgeable gardeners of the American Rock Garden Society. Here, of course, heathers must compete for affection with the thousands of alpine gems so lovingly and competently grown. Emphasis is on the dwarfer kinds and I have not yet seen a complete heather garden as we have known in England.

The average householder knows nothing of heathers, nor do they get much help from the trade. One leading mail order firm in their handsome and profusely illustrated catalogue picture a white *Calluna* captioned 'Erica, Springwood White'. Perpetuating this error another firm list 'Erica Springwood White, 10, a summer bloomer'. Another big nursery decline to differentiate between *Erica* and *Calluna* ('We know but don't care') and then list 'E. v. Sherwood Early Red—starts in late November then sends its bright flowers through the snow', this being an *Erica carnea* cultivar, which makes the first part of their bracketed statement open to question. Only in the more modest catalogues of specialist nurseries does one find reasonably accurate information.

The situation, however, is not without hope. A few plants placed with a local garden centre, by way of experiment, sold on sight. Given time I hope to establish here all the best of the English cultivars and make them available, correctly named, as stock plants for interested members of the trade. Once exposed to heathers the general public will, I believe, take them to their hearts until they become (with tongue in cheek I quote a popular American expression) 'as American as apple-pie'!

Some two or three dozen English cultivars are fairly readily available here and there are in addition not a few American introductions. Many of these are without merit but there are a few, notably *Calluna* 'Valorian', which impressed me as young plants, and others, though not worth introducing to England, do seem to be particularly robust under local conditions. Some listed names I have not yet seen 'in the flesh', so to speak. *Calluna* 'Monstros' I would like to see if only to find out why it deserved such an ugly name. I know there is a school of thought which says we should turn a blind eye and a deaf ear to these unfamiliar, often illegitimate, names, but since we are bound to come across the names I think it best to investigate and assess their merit. A catalogue just reached me from Holland in which I note more newcomers—*E. cinerea* 'Katinka' and *E. Tetralix* 'Helma' and 'Tina'—and I hope to see these in the course of time.

For the present I am concentrating on growing here over

100 cultivars, with about 100 more now rooting in trays and a fresh batch of cuttings just received from Mr Copeland. Progress reports for the Bulletins will follow from time to time.



## *Harlow Car: Looking Ahead*

*John P. Ardron, Sheffield, Yorks*

Arising from our efforts to create a really comprehensive collection of heather at Harlow Car Gardens, Harrogate, it is becoming evident that the proliferation of new names is getting out of hand. Time and again, members have pointed out that many varieties are indistinguishable from one another and it is suggested that maybe when growers have an unnamed heather which is different from any in the limited range they grow, it is given a name—and a 'new' variety is born.

Or, as already we have some evidence, an indistinct label has been mis-read and another invalid variety has come on to the market.

Quoting from page 7, 1965 Year Book, the late D. Fyfe Maxwell referred to: '... a lot of allegedly new finds that differ in little but name from existing kinds. Such senseless near-duplication is an embarrassment to the seller and the "sold".'

No dishonesty on the part of growers is implied but merely a lack of knowledge or of opportunity to investigate the comparative value of the plant.

Mr D. McClintock has a list of a hundred or so, at some time named, white Callunas! Apparently, *Calluna* f. *alba*, although not really very rare, is not widespread on our moorlands; consequently any odd find is liable to be judged as a pearl of great price. We find that over fifty white lings are offered in current catalogues: what luck?

In the 1964 Year Book (p. 22) the late Mrs E. Deutsch wrote from U.S.A.: '... over the years, there has been much duplication, and at the present time, there is some confusion of nomenclature. I do hope the Heather Society



will assume the burden of straightening out this confusion before it becomes greater.'

A letter from Mr M. A. Hill points the remedy. He says: 'Some time in the future I think the Society should produce a handbook, which could be issued every three or four years, of all the heathers recognised by the Society as distinct . . . and awards given by the Society for the plants of outstanding merit.'

The work of recording and comparing which has now been undertaken at Harlow Car should, for the first time, make this possible. This is how we plan to investigate, not to be confined to one or two years only: every variety is to have a record sheet upon which is to be detailed the height, spread, initial flowering and time to fading, spike length, colour, foliage, and with supplementary data upon general performance, habit, hardihood and *comparative value as against similar forms*.

We are indeed fortunate that four of our members in Harrogate, Mrs P. Smith, Mrs M. Myers, Mrs E. J. L. Pearce and Mr V. J. A. Russ, have volunteered to do this recording. We are already indebted to this group of enthusiasts for their careful listing of over 4,000 heathers grown on in the nursery beds.

As the project develops, we hope to be in a position to produce a list of those varieties which have proved to have distinctive features and to be of sufficient merit. New varieties would of course be added from time to time, but only gaining acceptance after trial and comparison with existing forms. The importance of this angle was raised by our Chairman (1964 Year Book, p. 11):

'I do realise the temptation to imagine that a new variety of one's own raising is good; in fact, one has to make sure, first of all, that it is really better than any other similar one, already in commerce.'

This should be invaluable to both nurserymen and the gardening public and avoid the senseless proliferation of names as pointed out by Mr H. W. Copeland (August 5th, 1968):

'Some ignorant growers are introducing seedlings of their own which have no merit whatsoever. These fellows know about 30 cultivars and of course nobody can intelligently

introduce something new unless he is familiar with nearer 300 known existing.'

With all this contention about names, it is very important that we do not lose the substance for the shadow. The garden is made beautiful by its plants, not by its nomenclature. The name is merely the key to enable us to obtain the desired result and it is most frustrating if some of the keys don't fit.

Heathers are prone to show variation in vigour and habit of growth. Some specimens prove to be of superior type and we are indebted to Mr G. Yates for his suggestion that propagation should always be taken from the better plants. Growers would thus secure a progressive improvement of the strain, rather than as we suspect can happen. . . . 'We can't sell that wreckling. Pull it up and make it into cuttings!' Such could account for some of the poor stuff sold.

As to the small size of plants supplied by some nurseries, the problem is twofold. Firstly, the demand is so great that orders are executed before the plants are really ready, and, secondly, the cost of carriage on well-grown stock has risen so alarmingly. How fortunate you are if able to collect your purchases and see what you are getting. Yet, if you wait until the spring, so many varieties are likely to be sold out!

At Harlow Car we have our problems in getting together all the varieties we seek, having the labels made and hoping they are all correct. But we are looking ahead with some confidence that we will be able to show you a goodly heather garden as well as a collection.

The development is on a rough site and the work entails the placing of huge rocks and landscaping to form access paths, a task being tackled manfully by the Superintendent, Mr Geoffrey Smith, and his team. The Northern Horticultural Society is taking great pride in the creation of this major feature to add to the many attractions of their famous garden.

Another long-term investigation is foreshadowed in an interview we had with Mr F. B. Stubbs, secretary of the Northern Horticultural Society Science Group. An experimental heather plot is to be set up to test the results obtained from growth in various soils, diverse pH conditions, composts and fertilisers.

The progress of their investigations will be followed with great interest and will demonstrate to the average visitor to the garden the effects of favourable and unfavourable conditions on the heather family.



## *Growing Heathers as a hobby: unorthodox methods, unexpected results*

*Horace Hale, Haslemere, Surrey*

'See the heather carpet spread  
To the hills in purple mist  
Where the gentle gloaming falls  
In a field of amethyst.'

*(K. G. Sullivan)*

Yes, that is how we like to view it, with all the little sheep walks criss-crossing and winding between, to complete the warp and woof of the pattern, and to those whose gardens can be made to join up with such a scene where drifts of our improved cultivars blend and lose themselves and appear again among the native varieties, the prospect must indeed be grand.

However, among the fast-growing number of our Society's membership there must be many who, like myself, have to find their joy in growing heathers has to be confined to an area of not more than a fraction of an acre. This may be situated within a rectangular boundary fence that is already taking up more of its share of the allotted space than can be permitted. Anyway, that is how I found it, and I have been asked on many occasions how I set about the job. If I related my methods in full detail, any professional gardener or specialist nurseryman who read this article would say that it should have been entitled, 'How *not* to grow heathers'. I am, however, writing this in the hope of



encouraging 'the not so well informed'. I grow heathers for my own pleasure and satisfaction and I find results more rewarding by just doing the best I can, with what I have, in the space available, and, in my own case, having already been on the retired list for twenty years, I have to add in the time I may have left to do the job. In doing just this, I have, like the doctors, frequently had to bury my mistakes.

In the first place, I attacked the out-of-control boundary hedge that had evidently been, originally, alternately planted with beech and whitethorn, the latter about eight feet high and nearly as wide. This had completely submerged the beech, which I decided to preserve, whilst eradicating the whitethorn bushes. Fortunately, this proved a success and I now have a tall, slim and elegant hedge providing a pleasing background to some heather beds, which is bright when the foliage is green through the summer and of a warm rusty colouring through the winter months, that blends well with the varying hues that the heather adopts during that season of the year.

I was fortunate that the area planned for the heather garden had been left by my predecessor as a rough grass plot, so my future scheme was not restricted to an already established layout. Having tackled the boundary hedge already mentioned, I decided to put my ideas on paper, so that I could work to a plan when making the heather beds which, as I was determined to do all the work myself, I now realised would take me years to complete. I felt that it would be far better to do it a bit at a time, making a thorough job of the foundation work, than to rush the project and get poor results. After all, I was doing the work for my own amusement, and as with fox hunting, the fun is in the 'chase' and not the 'kill'. My idea was to keep the proposed new layout as informal as possible, although, owing to the limited area available, I had to modify my dreams and more or less adopt a semi-formal scheme or I should have to limit severely the numbers and varieties I hoped to grow. My first thoughts in putting my plans on paper were that I was giving myself much unnecessary work and maybe this was so, as having outlined the shape of the particular bed under construction, I first removed all the tussocky turf and stacked it on one side. I then took out a spit of soil, throwing



Part of Mr Hale's garden at Haslemere, Surrey. (See page 25.)

(Photo: Mr H. Hale)



Dwarf *Daboecia* growing in the Cantabrian Mountains. (See page 38.)



out most of the big stones, which I afterwards found useful for another purpose. By this time I was surrounded by piles of earth, causing my neighbours to think that I was digging foundations for another house. Now I was ready to build up what I thought would be a good depth of soil that would allow my heathers to get their roots deeply down, so I chopped up the rough turf with the spade and put this at the bottom of the hollow that I had excavated. To this I added a good covering of compost which fortunately I found already on the site, then, after mixing it with peat, I threw back the spit of soil previously taken out. This, with the additional material used, left me with a raised bed of good soil and I carried out this method with each successive heather bed I have laid out. I have found that before planting it is best to give the new bed sufficient time to settle and then put the new plants in very firmly and deeply, finishing off afterwards with a handful of peat around each. When, as I often have been, I am asked why my heather plants look so strong and healthy, I give the results of my hard work as the main reason. The dwarf conifers that I plant among the heathers also seem to appreciate the treatment as they revel in getting their roots down into a soil containing lots of humus.

Having spent my active life as a farmer, it goes against the grain to see any plant looking half-starved and often I have been tempted to encourage such a one with a little help from the fertiliser bag, to which I find, in spite of all the advice to the contrary, heather plants, too, can actively respond. Howbeit, experience (the unseen schoolmaster) has taught me that the more lush I grow my heathers in the summer, the more they are punished when severe frost comes in the winter. On investigation the reason appears to be that severe freezing bursts the stems of the plants, and, as in the case of domestic water piping, it is adversely affected by frost when left full of water. Correspondingly the stems of the lusty heathers which seem to grow even in winter, being still full of sap, get frozen and, like the water piping, burst with disastrous results. Even then, plants so affected usually have the courage when spring returns to make new growth from root level and start again.

It seems that almost as many new discoveries can be made in the heather garden as on the surface of the moon,

and it is wondering what will happen next that keeps one's interest alive. Not many, however, of the chance seedlings that crop up turn out like the 'Ugly Duckling' to be the 'graceful swan', none the less I am always loath to throw out a healthy young heather so I usually consign them to a spot where I can watch their development and still hope that one among their number may turn out to be something unusual.

I have also noticed that some particular plant, or perhaps the whole group of one variety, can one season look very rusty and forlorn and I contemplate consigning them to the autumn bonfire, but on second thoughts I give them another chance and next year they appear to have renewed vigour of their youth and I am glad having given them a reprieve. I have no set rules as to when or how I prune, but I find heathers so accommodating that I leave them until they appear to be getting out of bounds or are pushing each other out of bed and I then trim them back accordingly, often planting some of the twiglets I have cut off in a shady spot, and by keeping them moist many of them take root. It is surprising how many replacements I get by replanting twigs and sprigs that get accidentally broken off by humans or animals. Instead of isolating these I usually push them into the soil near to the mother plant from which they have become detached so that they still feel they belong to the family, and I find they usually flourish and can be removed later if required. Mist propagation with all the accessories I leave to the professionals, although I am always interested in the results obtained by this method.

I am always happy to welcome a visit from any member who may care to call on me. It does not take long to look round and it is much easier to point out facts and features than to write about them, but there is always time to linger to discuss matters of mutual interest.

On the whole, I think my reactions to the results I have obtained are summed up by the Irishman's remark that, 'although things were not as good as he expected, he had never thought they would be'.

I would finish by recommending, as a good rule in retirement, keep youth in your heart and grow heathers. You can then always be sure that next year will be better.

## Heathers, Glass and Ignorance

J. R. Tyson, Hawkshead, Ambleside

Our home in the Lake District is situated in a narrow valley with a lake two miles long at the foot of the nearest field. The rainfall averages about 80 inches with dull skies and lack of sun in consequence. The altitude is about 250 feet and the nearest salt water about nine miles distant. The soil is a gritty, well-drained medium loam, slightly acid and ideal for heathers.

My interest in heather growing began on the bitter January morning some five years ago when I saw a vivid sprig of *carnea* standing out through the snow on a bank near the house which I remembered carelessly prodding in some two years previously. Then and there was born a resolve to to grow more of these winter-flowering plants which defied the worst our climate could do. A winter garden appealed to me, the reds, bronzes, silvers and greens of dwarf shrubs with the bright *carneas*: colour in spring and summer was easy.

The intention was to plant up about a quarter of an acre. Realising that this would be costly, I decided to propagate the heathers. Growing heathers from cuttings was something new to me, so books were bought and borrowed. In the meantime herbaceous plants were moved and ground prepared. Rocks were planted to break up the scene and give the effect of a moraine. Some heathers were purchased and planted, but little did I know what the underworld had in store for me. All unknown to me, the gremlins were at work. This was evident the following season when 'Queen of Spain' proved to be 'Vivellii' and 'King George' was *x darleyensis*. In fact it was a royal mix-up.

In 1965 summer came at last and the cuttings season began. A frame was prepared with due regard for soil mixtures, symbiotics, drainage and siting. About 400 cuttings of many varieties were dibbled in, strictly as to instructions. Shading and watering were attended to daily, nothing was left undone. By October, it was quite obvious that somewhere the underworld had been busy. I had



produced a miniature field of grey wisps. Some 10 per cent of the cuttings had rooted, the rest looked sick.

In 1966, still determined, more plants were bought; here I found that larger plants were better value and gave more cuttings. This season more than 1,000 cuttings were inserted but hormones were not used. Once more the slaughter was terrible: there was no affinity 'twixt me and the half-ripe cuttings.

If my cutting frames had been sited near the top of my hill some 50 feet higher where the light was more intense and the air more buoyant, I think the results would have improved. Most things will mould here in mid-July to mid-September when the humidity is greatest. But I had found by the end of the second season that mature heather cuttings would root satisfactorily in open ground if I could improvise glass protection. In November a bunch of mature cuttings, graded for length, were cut, a hole with a large dibber was made as deep as two-thirds the length of the cuttings, sand was pushed in, and with a few stabs of a smaller dibber the cuttings were firm. A glass jam-jar was clapped over the lot and pushed a little into the soil. The following March, when new growth had begun, the jar was eased up to allow air to enter and about ten days later removed entirely on a damp day. By the fall these cuttings had made robust plants without a single casualty.

By 1967 I had made a fine collection of priceless glass. With modifications on the first crude attempt, some 500 cuttings were inserted under jars. These were spring cuttings and rooted well. The following winter being mild, they were left uncovered, having made excellent growth. I should have known better and been prepared.

February 1968 was dry with frost on 27 days and bright sun. In my absence again the underworld, leagued with the weather, struck its most devastating blow. Some 75 per cent of these plants were lost. The frost lifted labels and plants, the bright sun dried them out, and when I returned it was too late.

Frost-lifting is the worst plague we have to endure: a pouring wet day can be followed by sharp frost. I keep a heap of stones about the size of half a brick to hold down

heathers which are planted in the fall, but spring planting is safer. Frost on wet ground without snow is deadly.

The situation was becoming serious, with a lot of bare ground and few plants. I threw my tobacco money into the fray to buy more plants as the schedule of planting was getting behind. Some 2,000 cuttings were taken in the spring with good results and my glass jars were made ready to cover them in November.

Cuttings have now been tried from *arborea* to *carnea* with success. If my first frame of cuttings had not failed, much valuable experience would have been lost to me. My misfortunes have been due to ignorance and lack of foresight, the solving of them unorthodox but very satisfying.

My rows of jars bring howls of derision from my family who find them amusing, youthful sharpshooters are tempted beyond endurance, but on the credit side nocturnal feline excavators are completely baffled.

I rest content.

---

## Heathers in North Carolina, U.S.A.

*Helen Allen, North Carolina, U.S.A.*

Following my enquiry in the spring of '65 to the Heather Society about the possibility of heather cuttings being sent to the U.S.A., three members very kindly sent me 44 different kinds: *Callunas*, *Daboecias*, and *Erica carnea*, *E. cinerea*, *E. vagans*, *E. ciliaris*, *E. Tetralix*, *E. x Watsonii* 'H. Maxwell' and *E. x darleyensis*.

They arrived in three batches and were planted as follows:

*1st Batch* April '65. Fifty per cent sterilised sand and sphagnum peat with sand topping and the whole enclosed in plastic. Only 10 per cent rooted.

*2nd Batch* May '65. Same soil mix as first, no sand topping but with plastic cover. About 40 per cent rooted.

*3rd Batch* June '65. Same soil mix again, no sand topping and no plastic cover, but watered each day with fogger-nozzle on my hose. Ninety per cent rooted.

There was a great loss of plants after they were transplanted to three-inch peat pots, even though I used the same mix. I started with about 500 plants in the late fall and kept them in the greenhouse all winter. About 350 were left to pot into one-gallon containers in the spring. More died during the summer, but about 200 survived till the next year and grew into beautifully shaped shrubs which bloomed. More were lost from neglect due to family illness, followed by further losses, after they were planted out into the garden last fall ('68), even though I carefully prepared the soil with large quantities of peat and well-rotted oak leaves.

The obvious point is my repeated loss following transplanting. Despite extreme care and regardless of whether it is in the greenhouse or out in the garden, the act of transplanting kills off many plants, including seedlings and plants of rhododendrons and azaleas that I have raised. My soil has been tested for pH, disease, element content and so forth, but no cause was found there, so it is a problem I am still working on. If any member can offer a solution, it would be appreciated very much. I now have *The Heather Garden*, by Fred J. Chapple, and it has helped immensely with every problem but this dying off.

At present I have about 40 plants including some of all the species that I started with, so the problem is not within a particular species.

*Erica carnea* and *E. vagans* do very well and make a plant 24 inches or more across in two or three years and grow and bloom as if they were natives. *Carnea* never fails to amaze people when it blooms through snow and ice. Some *Callunas* and all the *Erica vagans* stand the full sun here, but the rest of the heaths and heathers prefer the partial shade under my pine trees. *Calluna* 'Silver Queen' does especially well and I had been afraid it might be one of the hardest to handle. *Calluna* 'County Wicklow' is outstanding as the best double and *Calluna* 'Tricolorifolia' seems to be very hardy here. Even *Daboecia cantabrica* does quite well



under the pines and I had had no idea it would stand our severe winters at all. I also grow with the heaths and heathers three plants native to North Carolina, *Leiophyllum buxifolium*, *Azalea nudiflorum* and *Azalea calendulaceum*.

The cinereas usually start to bloom the last week of April, followed by *Erica Tetralix* at the beginning of May. *Erica x Watsonii* 'H. Maxwell' is in flower by the first of June and as a rule the Callunas are a mass of colour by the first of July. *Erica vagans* flowers for weeks from the middle of June. The carneas finish the old and start the new year by blooming from November till February.

The weather here in North Carolina can vary from 106 degrees in the summer to -5 degrees or -6 degrees in the winter, when we sometimes have terrible ice-storms and usually quite considerable snow. But it is just as apt to be torrential rains followed by a week of zero degrees with the wind blowing like mad. The summer heat usually begins in April and lasts until October, the extremes varying from five or six weeks of drought to six or seven inches of rain in an hour or two. The average rainfall is 46 inches per annum and gardens need high retaining edges to prevent the soil from washing away. To keep the moisture content from fluctuating too much, I mulch the heathers every August with about three inches of whole pine-needles and fertilise with cotton-seed meal in the first week of April and July. I usually run a mixture of pine needles and old oak leaves through my leaf shredder and put a layer of this under the whole needles, not working it *into* the soil because of its nitrogen-robbing factor. If a sprinkling of fertiliser with a high nitrogen content is applied to the shredded material no harm will come to the surrounding plants. As my basic soil is sticky red clay I have to work constantly to add organic material, but after seven years of work my flower beds all have crumbly dark brown soil.

As I am attending Guilford College to earn a B.Sc. degree, and will not have much spare time, I feel that my heaths and heathers along with my azaleas and rhododendrons will be a more or less work-free pleasure. I hope to try more cuttings again next year, specialising in those suitable for cut sprays. I have a 'flat' (shallow box) of two-year-old seedlings of an *Erica* species collected in South

Africa, as yet unknown to me, and would very much like to try more of the Southern African species but I do not know of anyone here who raises them.

Regardless of my unfortunate losses, the thought of eventually having heathers in my garden gives me immense pleasure, partly because they represent the kindness of the three members who sent them to me and also because of the memories I cherish of the Haldon Moors above Teignmouth. Two of the things I especially love about England, and have missed since I left, are the miles of gently undulating purple moorland when the heather is in bloom and the rugged beauty of the coastal cliffs. I never feel I have really come home until I stand on a cliff or beach and smell the salt air, or the heather on the moor.



## Plant Patents

Statutory Instrument No. 1024 of 1969, 'The Plant Breeders Rights (Trees, Shrubs and Woody Climbers) Scheme', made by the Ministry of Agriculture, Fisheries and Food under the Plant Varieties and Seed Act 1964, came into operation on August 7th, 1969.

This includes heathers of the genera *Andromeda*, *Calluna* and *Daboecia* and the species and hybrids *Erica arborea*, *australis*, *carnea*, *ciliaris*, *cinerea*, x *darleyensis*, *lusitanica*, *Mackaiana*, *mediterranea*, x *Praegeri*, *scoparia*, *terminalis*, *Tetralix*, *vagans*, x *Veitchii*, x *Watsonii* and x *Williamsii* in respect of which grants of plants breeders' rights may be made, for up to 20 years.

### *What are plant breeders' rights?*

During the period that the rights are in force, the holder may, for the plant variety (cultivar) in question, exclusively himself do or authorise others to do as follows (unless he has passed the authority to someone else)—

- (1) sell cuttings or plants,
- (2) produce cuttings or plants for sale, and

- (3) in the case of *Calluna* and *Erica* varieties produce and propagate plants for the purpose of selling cut blooms and foliage.

These rights are exercisable only in the United Kingdom and infringement may be the subject of legal proceedings. For the protection in any other countries a separate grant of rights must be obtained there, where such are available.

If anyone satisfies the Controller that the holder of any rights has unreasonably refused to grant him a licence, or has in granting or offering to grant a licence imposed unreasonable terms, the Controller may do this compulsorily. In the case of *Calluna*, *Daboecia* and *Erica* varieties any compulsory licence would not have effect until three years have elapsed from the date of grant of plant breeders' rights; for *Andromeda* varieties this period is two years from the date of grant.

The Plant Varieties Rights Office has published a 'Guide to Plant Breeders' Rights' which can be obtained free from the Plant Varieties Rights Office, Murray House, Vandon Street, London, S.W.1. The staff are most approachable and always ready to help: indeed, certain aspects of the scheme in draft were modified at the suggestion of members of our Society. They would welcome any queries from growers who wish to use the powers given by the Act.

### *Fees*

These are currently:

- (1) An application fee of £10;
- (2) Trials—at Wisley—last about three years and cost annually £15;
- (3) When rights are granted, there is a fee of £20;
- (4) Renewal of rights thereafter costs annually £25.

We are grateful to Mr Michael Evans, of the Plant Varieties Rights Office, for helping with this note.





## *Daboecia cantabrica at home*

*D. A. Richards, Eskdale, Cumberland*

As I said last year, 'The really industrious heather seekèr should go to the Basque country where one may find any sort from *Daboecia* to *Erica arborea*'. One may but one won't. And so I talked myself into it.

Landing at Bilbao, I headed for the Pico de Gorbea, chosen for its size. In little more than an hour I found the *Daboecia* of the Cantabrian Mountains at home. Map reading to the mountains and on the mountain is usually straightforward, but at the end of the made-up road there is often a complex of paths to farms, barns and fields that leave one at a loss. So at the end of the road I asked a peasant woman by repeating 'Pico de Gorbea' and raising an eyebrow. She pointed to me with a look of horror and said 'Solo, solo, solo?'. I nodded. Her vertical index finger was then passed slowly across her chest while her head wagged at a higher frequency. My nodding continued until I won the argument. Conceding the point, she then pointed to my feet, then raised both hands. I got the message: 'Shut up and stand still', and did just that in considerable perplexity while she ran off to her cottage. Surely she did not want to come too? In a moment she was back with an umbrella for me. No good Basque goes anywhere without one.

The route follows a forest track, deep in pale yellow mud, but quickly very rewarding. Wherever the amount of rock precludes the planting of trees, *Daboecia*, *Calluna* and *Erica vagans* and *ciliaris* throw a riot of colour. There is little justice in this world and the hard worker will find that, as the trees peter out and bracken and grass take over, the heathers get less and less. Among the trees and rocks where they flourish the soil is what I term 'ornery, horrible'. It looks like pale yellow clay with no visible organic matter but the reaction is strongly acid. Although it looks so horrible, perhaps that yellow soil in the new Heather Garden at Harlow Car is not so unsuitable after all.

I had made a good start and so to lunch. Due entirely to my inability to speak Spanish it was a disaster and we will

say no more about it. Forgetting my high ideals I made straight for the French frontier, good food and comfort. I should also confess that I cheat. Before a trip like this I beg information from any contact I can find. One, a French Professor of Natural Science, told me that *Daboecia* could be found at Itxassou; another, an Englishman who knows the area, told me that a good reasonable hotel could be found at Itxassou. I went.

The Frenchman also told me that *Calluna vulgaris* var. *hirsuta* could be found near the southern tip of the lake near Leon. It grows in the wet woods with ordinary *Calluna*, *Erica ciliaris*, *E. Tetralix* and *E. cinerea*. Under these conditions it grows to over three feet. It flowers much more freely, the flowers are more bluish and the stems are more brittle than the normal *Calluna* with it. It is more 'showy' than 'Silver Queen'.

In Fournier's *Les Quatres Flores de la France* he stated that *Daboecia cantabrica* is found up to 1,300 feet, and so it is: the normal type with which we are all familiar. However, above this height, or rather above the tree line, it grows in a curious stunted form, usually about three inches tall, flowering freely with bells of the normal colour and size. This form persists to over 3,000 feet.

From Itxassou to Urepel, in the Aldudes Valley, there is *Daboecia* all the way for some 25 miles. On the left just before Urepel is a magnificent mountain face. The surface is of rotten rock with some dramatic sheer faces and a boulder balanced precariously on top. *Daboecia*, *Calluna*, *E. cinerea* and *E. vagans* make a wonderful show and there is a little *E. ciliaris* at the bottom. The *Daboecias* are dwarfs with very short internodes. I have brought a few back to see whether they will revert to their normal habit.

Along the other bank of the River Nive is the Laxia Barrage, the specific point given to me as the home of *Daboecia*. The steep rocky valley is really lovely, and most exciting if you meet a mad driver on one of the bends. From there the track, all well surfaced if somewhat steep, makes its tortuous way to the summit of Mount Artzemendi. This is dominated by the two huge dish aerials of the 'Posts and Telegraphs', which are the reason for the road. The views from the top are terrific (3,000 feet) but the mountain

is not in itself beautiful. To a heather-hound it is discouraging, a ridge covered in slippery mountain grass on one face, and a precipitous slope, littered with loose rock, on the other. A careful search brought some surprises. Actually on the ridge I found a bit of everything, including one *Daboecia*. It was a dwarf, growing on a rock that dropped sheer for some 15 feet on the steeper slope.

Floating through the vertigo as I took the photograph came the words 'Found in the bogs of Connemara'. My reference book gives this as the home of *Daboecia*, so I had tried at home to imitate such a site with lots of peat and water. I now found that it also likes mountain tops.

Parallel to the Aldudes Valley are two passes climbing into Spain, to the West the Col Otsondo, and to the East the Col de Ibaneta, which is over 3,000 feet. They show similar distribution patterns with plenty of *Daboecia* right to the summit on the Northern face but little or none on the South. A facile answer would be that it is the amount of sun that is the governing factor. But so often it is found on very dry sites, mere cracks and ledges that catch a lot of sun on the Northern side yet it is missing in shady ravines on the South. After days of wandering in the hills and pondering the exceptions I think I found the answer. *Daboecia* appears to thrive where clouds and mist are most persistent, provided the soil is acid. I would have thought that peat was beneficial but it appears to be unimportant. I found seedlings and young plants thriving on newly exposed soil resulting from a land-slip that could not have contained any humus. Connemara, too, has a moist atmosphere and a rocky soil but 'not a tree high enough to hang a man nor enough soil to bury him'.

Another point giving food for thought is that so often the colour of one heather would lead to others. On Artze-mendi I did find the six mentioned (*Calluna vulgaris*, *Daboecia cantabrica*, *Erica ciliaris*, *E. cinerea*, *E. Tetralix*, *E. vagans*) all growing on one tiny ledge. They seem to like the taste of each other's root fungus. Surely, their needs being similar, one would expect the more robust would starve the others out.

The southern faces of these mountains bear a flora similar to the High Pyrenees with plenty of Colchicums,



and heather principally represented by *Calluna* and *E. vagans*, and *Daboecia* and *E. cinerea* bowing out. But I did not find any *E. arborea* there.

*Daboecia* looks at its best in nature growing in crevices in steep rock above the river. The main stems hang down the rock and the laterals arch upwards smothered in bloom. Under these conditions they live to a ripe old age; I measured the main stem of one with a circumference of three inches some two inches from the rock.

The Cantabrian Mountains are the continuation of the Pyrenees along the North coast of Spain, so I felt I must rough it there for a few days. Time was too short to do the job properly but *Daboecia* is common along the coast at least as far as Santander. The mountains drop precipitously to the sea and along the cliffs *Daboecia* lives happily. In my limited experience it was particularly fine along the Cornisa, the cliff road from Deva to Lequeitio, West of San Sebastian.

Back home I feel that I have learned more than if I had visited every garden in the kingdom. My gross specimens each cover about a square yard, but in future they will go on a diet; a steep rocky bank will be the site for my young plants.

---

## Devil's Saffron

*Phyllis Kimber, Farnham, Surrey*

Very few British plants are entirely parasitic, but the dodder, belonging to the *Convolvulaceae* family, is one of these strange growths. It is known as 'Devil's Guts' (because of its resemblance to cat-gut) in some parts of England, though in the Land's End district of Cornwall people call it 'Devil's Saffron'. Other old names for it include 'Strange-tare', 'Strangle-weed', 'Lady's Laces' and 'Bride's Laces', while thyme with dodder growing on it was 'Laced Thyme'.

There are several different species of this plant, but only a few are indigenous to Britain, *Cuscuta Epithymum* being the one most often seen. This is the true dodder and is frequently seen on gorse and heather and other small plants where it

can easily be recognised by its thin, reddish stems twining themselves like threads over its host.

It is unique among British parasites in being a climber, and dispensing with its roots when it is mature. The numerous seedlings are tiny and thread-like and they contain a small amount of chlorophyll, enough to last them till they no longer need it. As these seedlings grow, their tips move around searching for a host plant, and as soon as they find one they attach themselves to it, twining anti-clockwise, and their roots die. They die in any case if they are unable to find a host. Suckers grow out from the stems and flatten out, with the centres penetrating the other plant to reach the vascular tissue. They then expand and are soon able to receive all their nourishment easily. Only some of these little stems bear suckers, the others being free, but there are no leaves—only tiny scales well spaced out.

The dodder produces many small seeds, using all its energy for this and so making sure of its safe reproduction. In the summer it bears small white bell-shaped flowers with no stems; sometimes these are tinged with pink. During the autumn the rusty-red stems may often be seen on gorse and heather, making a colourful picture, but the host plants will die if they are long in this deathly grip.



## *Netherlands Note*

*H. L. Nicholson, Dorking, Surrey*

'In view of the interest shown by you for the preservation of the Heidetuin (Heather Garden) here, we now have pleasure in informing you with regard to the Diederichs-Portman heirs, that an agreement by deed was drawn up whereby the garden can exist permanently in its present form and state.'

*(Signed by the Secretary and Burgomaster on behalf of the Burgomaster and Aldermen of the township of Driebergen-Rijsenburg.)*

This is a happy outcome of what might have been the sad destruction of a beautiful garden. The Heather Society Secretary, urged by both Mr J. Arens of Baarn and myself, wrote to the Gemeente expressing our concern, and in the late summer of 1969 the above letter was received.

During early October, whilst taking part in a private study tour to investigate the effect of natural gas on street trees, I visited Wageningen and was able to meet Mr W. J. M. Janssen, the Curator of the Belmonte Arboretum there. This dedicated man was delighted to take me around the grounds under his care and naturally we gravitated to the heather garden.

He asked me to draw attention to the fact that a considerable number of *Ericas* and *Callunas* have been attacked by *Armillareia mellea* (Honey Fungus). I think that this may be unusual, but, prior to the making of the garden, the ground was planted with beech and these were infested.

He also told me that *Cal. v. 'Sister Anne'*, known also as '*Hirsuta Compacta*', and *Cal. v. 'Hirsuta Typica'* were proving an ideal host for the red spider.

Always something to fight against!



## *Is It Correctly Named?*

*W. L. Lead, Gedling, Notts*

I first began to wonder how many of the heathers we had bought were incorrectly labelled when, after ordering *Erica carnea* 'Winter Beauty', we received plants which appeared to be identical with *E. car.* 'King George' which we had previously ordered from the same supplier, and the more we compared varieties and names in other heather gardens, the greater became the uncertainty.

One way in which we have tried to ensure correct naming has been by ordering the same variety from a number of reputable nurserymen, and this procedure has brought not a few surprises. From six different suppliers, three quite different types of *E. vagans* 'St Keverne' arrived. The two


offenders were both decidedly deeper pinks than the true 'St Keverne' I used to grow when it was the only pink *E. vagans* being offered.

We have recently obtained two different forms of *E. vagans* 'Mrs D. F. Maxwell'. They are the same colour, but one flowers earlier than the other; who would be so brave as to say which is not true? If 'Mrs D. F. Maxwell' is the best *E. vagans*, who would deny a heather lover to to have 'two of the best' and extend the flowering season?


For some years we have grown *E. cinerea* 'Frances', a plant with cerise flowers somewhat similar to those of *E. cin.* 'C. D. Eason'. Several catalogues still list this variety as a cerise, but plants being generally offered at present have flowers of a milky pink with no blue in it, nearer to the colour of *E. cin.* 'C. G. Best', but, as we all must certainly know, catalogue descriptions can be most misleading.

One of the most disturbing examples of doubtful labelling concerned *Calluna vulg.* 'Fred J. Chapple'. Three different nurserymen supplied what appeared to be three totally different plants, none of which have the spectacular spring display one would expect from the published description. At the Heather Society meeting in Mr Yates' garden I told Mr Chapple of my dilemma, and he demonstrated how the true plant can be identified; subsequently, he very kindly sent me an example from his own garden. If one looks down into the foliage one can plainly see a yellow fleck which persists into mid-summer after the characteristic spring colouration has entirely disappeared. The yellow fleck is entirely absent in *C. v.* 'Tricolorifolia' and *C. v.* 'Hammondii Rubrifolia', two other *Callunas* with somewhat similar spring colouration, though I discovered later that the latter also has the characteristic yellow fleck, but has white flowers in contrast to the light purple flowers of 'Fred J. Chapple'. The combination of the spring colouration, the yellow fleck in the foliage and the colour of the flower should help to identify the true plant. One should also remember that a young plant, or a plant which has recently been moved, may fail to give the full spring colouring in the first year. In this connection it is reported in *The English Heather Garden* (D. Fyfe Maxwell and P. S. Patrick), that when *Calluna* 'Mrs Pat' was first collected





*Calluna vulg. hirsuta* in flower in the Cantabrian Mountains, with a shoot of *Calluna vulgaris* in the centre. (See page 37.)  
(Photos: Mr D. A. Richards)



*Left*

*Erica multiflora* L. in Dr Violet Gray's garden at Hindhead, Surrey. (See page 16.)

(Photo: Dr Violet Gray)

*Below*

*Calluna vulgaris* 'Beoley Gold' in the garden of Mr and Mrs A. H. Bowerman, Coldwaltham, Sussex.

(Photo: Mrs A. H. Bowerman)




and planted in the garden, in the first year it failed entirely to give the wonderful spring and early summer colouration for which it is now so highly prized. What a blessing it was not grubbed up and consigned to the bonfire during its uncolourful year.

The sixth-form student of chemistry, by the use of his tables and a few tests, can positively identify several hundred different chemical substances. The positive identification of three or four hundred heathers is by no means such a simple task because relatively small differences in soil and situation can bring about considerable changes in the appearance of a plant.

Some of our heathers are so characteristic that they are always recognisable. *Callunas* 'Tib', 'Mrs Ronald Gray', 'Golden Feather', *E. cin.* 'Domino' and *E. Tetralix* 'Alba Mollis' are examples which come to mind, but with many others the distinguishing features are only visible at some time of the year, and keen observation and accurate description are necessary if we are to make this information available to other growers. An object lesson such as that given by Mr Chapple on the *Calluna* carrying his name, an accurate description of a plant by the original finder or raiser, such as one frequently finds in *The English Heather Garden*, the bringing together of all available heathers, as at Harlow Car, and rules for the accurate classification and naming, as given in David McClintock's *A Guide to the Naming of Plants, with special reference to heathers*, are factors which should help us to ensure that most of our heathers are true to name, and are accurately labelled.

But after all, a heather seedling in our garden which, like Topsy, 'just grew', can be a source of great joy even if it hasn't got a name.



I was also reading another book, written in about 1855 by Walter White, called *A Londoner's Walk to Land's End*. In this he writes of seeing 'the white heath, Erica vagans' on the Lizard peninsula. He remarked that it only grew on the serpentine rock, 'and if you wish to know where this rock meets its neighbouring strata, you have only to follow the ins and outs of the white heath. It never misleads. . . .'

Was the original vagans white, I wonder? And does it really still prefer to live on serpentine?

P.K.

## Mid-Summer Madness

*B. R. Malin, Worthing, Sussex*

My mid-summer madness came this year as a strong desire to uproot my smug front lawn and rose beds, replacing with a heather rockery. This urge was modified only to the extent that some lawn was retained as this would partly encircle, and so set off, the rockery to advantage.

Early in July I sprayed Weedol all over the portion of lawn which was to be sacrificed and when it turned brown I enjoyed the feeling of iconoclasm it engendered—I was now committed to my task.

The next step was to scrape off the turf and turn it upside down where it lay. Sandstone rocks which were to form the outside raised walls for the site were placed in position. The base of these walls have now been planted with rockery campanula as I previously found that this plant soon covers up the sides of rocks making them invisible. *Vinca minor* 'Variegata' will also achieve this. Next a mixture by volume of one-half peat, one-third neutral soil and one-sixth of three-sixteenths grit were mixed on the site and well trodden down. This gave a minimum of one foot depth of raised soil—very important as I garden on alkaline soil with chalk quite near the surface. Now the important rocks forming the rockery effect were grouped on the soil and levels built up to the top of some of these rocks, giving an appearance of informal terracing and allowing a two-foot depth of soil in places where dwarf evergreen azaleas (Vuyk's Rosy Red) were to be planted in association with the heathers.

All the soil was well and truly trodden down and allowed to settle for a month or so, during which time I scouted around and purchased various young pot-grown heathers. I included such cultivars as *C. v.* 'Robert Chapman', 'Beoley Gold' and *E. carnea* 'Aurea' for coloured foliage, *C. v.* 'Spring Cream' as a novelty (the tops of the leaves in spring look just like flowers at one stage) and *E. carnea* 'Loughrigg', *E. cin.* 'Atro-Sanguinea' (Smith's Variety), *E. cin.* 'Coccinea', *C. v.* 'County Wicklow', 'Joan Sparkes', *E. vagans* 'Mrs D. F. Maxwell' and *E. x* 'Furzey' and *E. x* 'H. Maxwell' for floral effect. (I also wanted to include *E. cin.* 'C. D. Eason'



and 'P. S. Patrick' and *C. v. 'Sunset'* but had no room so I made a small bed for these on my back-garden heather rockery.)

The heathers were planted out at the end of September together with the dwarf azaleas and three *Potentilla fruticosa* 'Arbuscula' (profuse yellow flowers giving colour May/June during the heather close season). After a mulch of peat the plants were left and already appear to be flourishing, having had good time to settle their roots this year as my first frost was not until early November.

I would like to see many gardeners for whom lime is a problem beating the problem with raised beds disguised as rockeries. The effect is pleasing, spacious and different, and it gets away entirely from the front lawn and rose beds mentality. Quite a few passers-by have been prompted to inquire about heathers, and needless to say I enjoy these discussions.

Incidentally, after talking for about an hour to a local Gardening Society recently the first item before I answered questions was an announcement by the Secretary asking if there were any further orders for Lime to be taken! Later I explained to the meeting the steps I had just been taking to get rid of the very stuff they were wanting to purchase in bulk!

---

## *Heathers and Roses*

*Anon.*

It was not so long ago when I visited gardens, private or public, that I was apt to turn a disapproving eye on rose beds that had ground cover of violas, or pansies or dwarf bedding plants, for I was one of the people who preached, and practised, that rose beds should be kept for roses. Let dwarf bedding plants go in annual borders or fill bare spaces in the herbaceous border, wallflowers to follow summer bedding, and for dwarf Campanulas, Aubretias and such like the rock garden was the obvious place. If rose beds were cluttered up with these 'immigrants', how could they

be cultivated and tended? I was not alone in this belief and one heather lover, for whom I had the greatest respect, was known to have said: 'To me a rose bush near heathers is a weed!'

At one time in my career I was responsible for the growing and planting of trees and shrubs on road verges and open spaces in the housing areas of one of the New Towns near London. The soil had a high lime content, which meant it was not possible to use Rhododendrons, Azaleas and all lime-hating shrubs. It was then I came to realise the value of 'Shrub' roses, planting them to give colour amongst spring-flowering shrubs to continue the flowering season through summer into early autumn. After all, roses are shrubs and may be used to plant amongst other shrubs, including heathers.

We planted several thousand rose bushes altogether, and in selected beds I tried heathers as ground cover. Owing to the high pH of the soil we used only *Carneas* in the early plantings, using 20-30 plants of the same cultivar in each batch. When they flowered the effect was very striking; as the plants grew together the foliage made an excellent foil to the rose blooms above them, and the roses appeared to appreciate having their roots kept cool and not disturbed. Instead of having only bare stalks to look at for some seven months of the year there was colour the year round.

There were not so many cultivars known then as there are now and we relied largely on two that are still among my favourites, 'King George' and 'Winter Beauty', and we used many 'Queen Mary' and 'Springwood White'. On our soil light pink cultivars did not show up and my preference was for the crimson and deep pink flowered cultivars, especially if the foliage had a bronze tinge.

There are now a great number of cultivars to choose in dwarf *Callunas*, dwarf hybrids (summer and winter flowering), *E. Tetralix*, the grey foliage of which can be used with great effect, and *E. cinerea*. And I shall not easily forget a batch of *C. v. 'Gold Haze'* as ground cover beneath a planting of dark red *Floribunda* roses. With the introduction of an increasing number of coloured foliage cultivars a great number of combinations can be thought out, in flowers and foliage.

Among plantings of 'Shrub' roses the taller Callunas, *Erica vagans* and the taller hybrid heaths can be used most effectively as ground cover, growing together and smothering weeds when they do so.

The true heather enthusiast will, of course, never be content with heathers only as ground cover for roses or any other plants. In the last month I have heard of two instances where heathers have taken the place of roses; there was not room in the garden for both, and heathers were the first love.

I have no garden of my own now but have hopes of acquiring another one soon. I know what my first plantings will be . . . and they won't be roses.



## *The Changing Grip on Spades*

*Reprinted, by permission, from  
'The Northern Gardener'*

For centuries, spades have been made in a variety of patterns to suit local preferences. If by chance an ironmonger received a consignment of the wrong design for his district, he quickly sent it back as unsaleable. Indeed, regional loyalties to spades survived in much the same way as regional accents of speech. Now, however, with more and more people on the move, factories are seizing the opportunity to simplify their output.

There are other influences for change. New materials such as plastics and aluminium are diecast rather than forged, and call for longer production runs. Novel designs now coming forward are not relevant to traditional loyalties. Apart from that, the time-honoured principles of deep digging are in question. In more senses than one, this is a revolutionary era for garden tools, and in a few years regional affiliations to spades, now still apparent, may have been overwhelmed.

The change will be a big one. Spades account for 50 of the 800 different varieties of garden tools which continue to be

listed for the home market by a firm like Edward Elwell Ltd. of Wednesbury. Handles, each with strong local support, are responsible for much of this bounty.

Stop for a moment to draw a robin perched on a top of a spade. If your picture reveals a simple 'T'-shaped handle or cross-bar, the chances are that you come from the North of England (but not Scotland). In most Southern counties gardeners have preferred the enclosed handle, which takes the form of a 'D' on its stomach.

The reason for the local choice is a matter of conjecture; manufacturers speak of the accidents of social history, arising from the initiative of a local blacksmith. But one of the main objections to the enclosed handle was that in earlier generations, when it was cut out from a solid piece of wood, it did not offer enough room to the very large fist of a labouring man. The 'T' handle is best suited to the large hand in another way, because one needs to be able to place the vertical top of the handle between the fingers in order to lift the tool.

So one can see why Northerners have spoken of the enclosed handle as more suitable for Southern softies. It may also be true that the steady reduction in the proportion of the population engaged as navvies or manual workers is resulting in the wane of the big fist. Whatever the reason, the enclosed handle is creeping into territory where it was formerly scorned. In a matter of years, the 'D' shape may be accepted everywhere.

A more commercial explanation is the change in manufacturing methods and the resulting larger size of hole in the 'D' handle. It is after all only about 10 years since tool firms manufactured the 'D' handle by carving from a solid piece of wood, in which a large amount of wood was wasted. This led to a temptation to economise in the size of the hole which accommodated the fist of the user; the sidepieces of the 'D' needed to be fairly thick and the hole comparatively small, in order to ensure sufficient strength. The answer to this problem was to make use of the outstanding capacity of ash to be bent and fixed in an outlandish position, with the aid of steam, by splitting and then fixing the vertical top of the handle. A more recent development has been the plastic handle, and this has enabled makers to further




enlarge the size of the hole, particularly for contractors' tools.

Another puzzle is to find the reason why spades with treads are the rule in some districts and not others. In general, the pattern follows the division between different types of handles, with treaded spades found most often in those parts of the country where tradition supports the enclosed handle, although there are a number of exceptions to that. The main complaint against treads has always been that soil sticks in the corners formed, making the spade difficult to clean, and one might expect treads to be unpopular in the clay areas of London. However, the reverse is the case, perhaps because heavier soil demands a heavier push with the foot. It is noticeable that the traditional areas for untreaded spades, in the North of England and East Anglia, are parts where it has been the custom to wear really heavy boots or clogs.

One of the biggest changes recently has been in the manner of joining the spade to the wooden handle. The older method, known as the strap handle, was to hammer the wooden shaft in place between bands of metal back and front. The alternative was the 'solid socket', a tube of metal coming up from the neck of the spade, into which the handle could be driven. Traditionally, London and the South-East used the strap kind, with socketed handles popular in the North of England. Scotland was strap country, Lincolnshire (sockets preferred) was once again at odds with East Anglia.

Solid sockets are now strongly in favour with manufacturers, because they are easier to handle and re-handle than strap-handled tools. There does not seem to have been any objection from the traditional 'strap' areas. The re-strapping of handles is unpopular with ironmongers and when carried out by them or by the owner of the spade it frequently results in an uneven lie of the strap, or a 'ripple' along the edge of the metal which can hurt the hands.



## LIST OF MEMBERS

December, 1969

\*Indicates members willing to show their gardens by appointment.

†Indicates Nurserymen.

## Group 1. Scotland.

- BARR, MISS K. H., 3 Balgair Road, Balfron by Glasgow.  
 †BRIEN, R. J., Pitcairngreen Heather Farm, Perth,  
 BROWN, R. A., Hillcrest, Dunbar Street, Lossiemouth, Morayshire.  
 BURNET, FRANK R., Enterkin, Kilmacolm, Renfrewshire.  
 CAMERON, MISS E. K., Caldermill Hill, nr. Strathaven, Lanarkshire.  
 CARMICHAEL, SIR JOHN, Magicwell, Balmullo, Leichars, Fife.  
 CATHRO, J., 27 Creswell Hill, Dumfries.  
 †CHRISTIE, T. and W., The Nurseries, Forbes, Morayshire.  
 COLLINS, MRS M., Inverchapel, Dunoon, Argyll.  
 CRABBIE, D., Black Barony Home Farm, Eddlestone, Peebleshire.  
 \*DOBSON, WM. S., 20 Barnshot Road, Colinton, Edinburgh 13.  
 DOBSON, W. S. (JUN.), The Hill, Broomieknowe, Lasswade, Midlothian.  
 \*FOULIS, D. A., Cuill, Easter Belmont Road, Edinburgh 12.  
 GIBB, K. F., Seaways, St Colme Road, Dalgety Bay, Fife.  
 GRAY, J. M., Kindeloch, New Abbey, Dumfries.  
 HALKETT, A. C., Kevock Lea, Kevock Road, Lasswade, Midlothian.  
 HALL, MRS M., Midlothian.  
 HUNTER, MRS E. N., Shieldaig Cottage, Gairloch, Ross-shire.  
 ILLINGWORTH, MISS C. E., Polbain, Achiltibuie, Garve, Ross-shire.  
 IMRIE, IAN, 40 Stamperland Hill, Clarkston, Renfrewshire.  
 †KELLY, LT.-COL. H. A., Oliver and Hunter, Moniaive, Thornhill, Dumfries-shire.  
 †LYLE, RONALD, Delaney and Lyle, Grange Nursery, Alloa, Clackmannanshire.  
 MC CRINDLE, K. D., 1 Drummond Rise, Dunblane, Perthshire.  
 MCFARLANE, A. D., 14 Livingstone Park, Kilsyth, by Glasgow.  
 MACROBERT, MRS H., Durisdeer, Kilmacolm, Renfrewshire.  
 MARKS, B. MCK., 17 Banchory Avenue, Inchinnan, Renfrewshire.  
 MERRY, MRS E. Phoinneas, Beauly, Inverness-shire.  
 \*MONTGOMERY, BRIG. E. J., Kinlochruel, Colintraive, Argyll.  
 MOUNSEY, E. R., Rough Knowe, Barrhill Road, Dalbeattie.  
 NEIL, J. G., 12 North Dumgoyne Avenue, Milngavie, Glasgow.  
 PARKER, R. C., Woodcliffe, Newtonmore, Inverness-shire.  
 PATTENDEN, H., Kirkbank, Glenlochar, Castle Douglas, Kirkcudbrightshire.  
 PATRICK, L. B., Dounie, Tayvallich, by Lochgilphead, Argyll.  
 †PONTON, J. R., The Gardens, Kirknewton, Midlothian.  
 REGIUS KEEPER, Royal Botanic Garden, Edinburgh 3.  
 SCOTT, T. M., Clonburn, Resaurie, Inverness.  
 SHAND, W. A., St Edmunds, Milngavie, Dunbartonshire.  
 SHEPHERD, MISS M., The Dales, Braidwood, by Carlisle, Lanarkshire.  
 THOMSON, I., 21 Pantenville Road, West Kilbride, Ayrshire.  
 URQUHART, C. H., 35 Bain Crescent, Helensburgh, Dunbartonshire.  
 WHITSON, MRS E. M., Wood End, Falls of Leny, Callander, Perthshire.

## Group 2. Ireland.

- ANDERSON, J. D., 51 Wallasey Park, Belfast, BT14 6PN.  
 †DAISY HILL NURSERIES, Newry, Co. Down, N.I.  
 ELLIOTT, MISS C. J., Ballinran, Killowen, Rostrevor, Co. Down, N.I.  
 †GAHAN, LT.-COL. H. M., Nestor Lodge, Kilmullin, Newtownmountkennedy, Co. Wicklow, Republic of Ireland.  
 GARRATT, MAJOR R., Rialto, Holywood, Co. Down, N.I.  
 †GRAHAM, N. C., Straid Nurseries, Gracehill, Ballymena, Co. Antrim, N.I.  
 HILLGARTH, NIGELLA, Illananagh House, Ballinderry, Co. Tipperary, Republic of Ireland.  
 †KANE BROS., Drumeel, Castlewellan, Co. Down, N.I.  
 LAMBERT, COL. W. P., Clareville, Oughterard, Co. Galway Republic of Ireland.  
 LATCHFORD, F. H., Luggala, Tralee, Co. Kerry, Republic of Ireland.

- MCCARTER, W. S., Heatherdene, Culmore, Londonderry, N.I.  
 †NANGLE, D. L., Nangles Nurseries, Carrigrohane, Co. Cork, Republic of Ireland.  
 O'HARE, P. J., Agricultural Institute, Peatland Research Station, Glenamoy, Ballina, Co. Mayo, Republic of Ireland.  
 O'REILLY, S. F., Rednal, Coast Road, Cushendall, N.I.  
 PINK, J. A., 10 Decourcy Avenue, Carrickfergus, Co. Antrim, N.I.  
 PREECE, MRS N., Kells House, Kells, Co. Kerry, Republic of Ireland.  
 REEVES, MRS E. A., Greenways, Lucan, Co. Dublin, Republic of Ireland.  
 †SLINGER, LESLIE S., The Slieve Donard Nursery Co, Newcastle, Co. Down, N.I.  
 SMYTH, N. J., Norcliffe, 28 Demesne Road, Holywood, Co. Down, N.I.  
 THOMPSON, MISS B., 18 Fairway Avenue, Upper Malone Road, Belfast BT9 5NL.  
 WALKER, MISS N. Lisnoe, Orwell Park, Dublin 6, Republic of Ireland.

### Group 3. Northern England.

- ADAMS, DR J. M., The Birches, 5 Wimbrick Crescent, Ormskirk, Lancs.  
 ANTHES, MRS P. C., Bryn Afon, Shatton Lane, Bamford, Sheffield.  
 \*ARDRON, J. P., Fulwood Heights, Harrison Lane, Sheffield S10 4PA.  
 ASTLEY, P., 33 Roylen Avenue, Carleton, Poulton-le-Fylde, Lancs.  
 BATES, W. E., White Wings, Lingmell, Seascale, Cumberland.  
 †BENSON, CLIVE, The Nurseries, 281 Croston Road, Farington, Preston, Lancs.  
 BICKERSTAFF, C. E., Dyffryn, 2c Norfolk Hill, Grenoside, Sheffield.  
 BLAKE, J., Dencroft, Oxton Rakes, Barlow, nr Sheffield.  
 BOYD, MRS D. E., Mooredge, Warren Lane, Eldwick, Bingley, Yorks.  
 BREEZE, R. O., Summerfields, Beach Road, Port St Mary, Isle of Man.  
 BROOMHEAD, R. H., The Hollies, Ashover, Chesterfield, Derbyshire.  
 BROWN, MRS D., 7a Spalding Road, Holsbeach, nr Spalding, Lincs.  
 BROWN, P. J., 136 Padfield Main Road, Hadfield, via Hyde, Cheshire.  
 CAMPBELL, MRS F., Rothley Lake House, Morpeth, Northumberland.  
 \*CHAPPLE, F. J., Mafeking, Bradda West Road, Port Erin, Isle of Man.  
 COLLICK, K., 80 Dore Avenue, North Hykeham, Lincoln.  
 COOPE, DR M., 66 Grimshaw Lane, Bollington, Cheshire.  
 COOPER, J. G., Corrie, Dinting Road, Glossop, Derbyshire.  
 COOPER, MRS V. C. V., Hillside, Buxton Road, Disley, nr Stockport, Cheshire.  
 CRESWELL, MISS K. BAKER-, Preston Tower, Chathill, Northumberland.  
 DARBYSHIRE, J. K., Heather Rise, Surby, Port Erin, Isle of Man.  
 DAVEY, N. S., 3 Green Walk, Timperley, Cheshire.  
 DAVIES, M. B., 4 Howard Close, Glossop, Derbyshire.  
 DAWSON, J. O. H., Beauclerc, Riding Mill, Northumberland.  
 DAWSON, P., 43 Shadsworth Road, Blackburn, Lancs.  
 ELLARD, MRS M., Rose Garth, Threapwood, Malpas, Cheshire.  
 ELLIS, G. E., Ivy Cottage, Pedley Lane, Congleton, Cheshire.  
 FAIRS, MRS J. D., 33 Clough Drive, Fenay Bridge, Huddersfield, HD8 0JJ.  
 FLEET, C. B., 90 Sleaford Road, Boston, Lincs.  
 FLETCHER, D. B., 4 Scarsdale Avenue, Littleover, Derbyshire.  
 FLETCHER, W. B., 5 Lagonda Close, Bracebridge Heath, Lincoln.  
 FORSYTH, DR T. S., Lindisfarne, Haworth, Keighley, Yorks.  
 GOULD, C. W. L., 43 Silverdale Road, Gatley, Cheadle, Cheshire.  
 GREEN, R., 94 Moseley Wood Gardens, Cookridge, Leeds 12.  
 GRIFFIN, D. P., 3 Marlborough Court, Churchill Park, Washingborough, Lincoln.  
 GROVES, W. J. B., 83 Church Road, Lower Bebington, Wirral, Cheshire.  
 †HAMER, G. M., Sunnymount Nursery, Glossop Road, Chisworth, via Broadbottom, Hyde, Cheshire.  
 HAMMOND, E. G., White Thorn, Dumban Lane, West Bollington, Macclesfield, Cheshire.  
 HENRY, S., 50 Harrowden Road, Doncaster, Yorks.  
 HILL, M. A., 20 Green Walk, Timperley, Cheshire.  
 HILTON, SIR DEREK, Eaves, Chapel-en-le-Frith, Derbyshire.  
 HOBBS, K. W., Glenthorne, Lode Pit Lane, Eldwick, Bingley, Yorks.  
 HOLLETT, C. G., Greenbank Nursery, New Street, Sedburgh, Yorks.  
 HORSFALL, M., One Acre, 361 Halifax Road, Liversedge, Yorks.  
 HOWELL, MRS M., 7 Alphin Park Lane, Greenfield, nr Oldham, Lancs.  
 HULME, J. K., Director, University of Liverpool Botanic Gardens, Ness, Neston, Wirral, Cheshire.  
 IRESON, T., Editor, *Garden News*, High Street, Stamford, Lincs.  
 JACK, GORDON, Rossmoyne, 33 Manor Road, Bramhall, Cheshire.  
 JAKEWAYS, DR R. J., 7 Wordsworth Avenue, Penistone, nr Sheffield.  
 JOHNSON, WING-CDR J. S., 4 Ladythorn Avenue, Marple, Cheshire, SK6 7DR.

- JONES, H., Coombs Croft, Coombs Road, Bakewell, Derbyshire, DE4 1AQ.  
 KELLY, HENRY, Ballaqueeney Lodge, Ballaquale Road, Douglas, Isle of Man.  
 KERR, J. W., 31 Wentworth Drive, Sale, Cheshire.  
 KERSHAW, MRS B. M., Orleans House, 323 Fleetwood Road, Fleetwood, Lancs.  
 LASCELLES, R. G., Birchwood, 358 Park Lane, Macclesfield, Cheshire.  
 LESLIE, W., 403 Durdar Road, Carlisle, Cumberland.  
 \*LEVER, G., 239 Tottington Road, Harwood, Bolton, Lancs.  
 LITTLEWOOD, MRS M. K., Manor House Farm, Scotton, Gainsborough, Lincs.  
 LORD, J. D., Raikes Close, Skipton, Yorks.  
 LUKE, MRS E., Merbrae, 35 Ridge Green, Scalby, Scarborough, Yorks.  
 MACINTYRE, MRS C. M., The Cottage, Fontainebleau, Cranage, Holmes Chapel, nr Crewe.  
 MACKLEY, MRS L. M., 21 Linden Way, Boston, Lincs.  
 MARTIN, J. E., Elder Tree Lane, Ashley Lane, Ashley, nr Market Drayton, Salop.  
 MARTIN, W., 8 Sandringham Drive, Poynton, Stockport, Cheshire.  
 METCALF, DR J. A. S., 21 Church Lane, Acklam, Middlesbrough, Yorks.  
 METCALFE, J. E., Bracken Cottage, Hillside, Rothbury, Morpeth, Northumberland.  
 NADEN, MRS A. M., 14 Ryles Park Road, Macclesfield, Cheshire.  
 NEWSHAM, MISS V. M., 43 Carfield Avenue, Meersbrook, Sheffield 8.  
 NICHOLS, R., 28 Parklands, Hamsterley Mill Estate, Rowlands Gill, Co. Durham.  
 NICHOLSON, MISS M., The Mount School, York, YO2 4DD.  
 NOAR, B. B., 5 Lady's Close, Parklands Way, Poynton, Stockport, Cheshire.  
 PARTINGTON, BILL, 3 South Drive, Gatley, Cheshire.  
 PEARCE, MRS J. Vibert, 17 Park Drive, Harrogate, Yorks.  
 PERKIN, J. M., Roseacres, Barrow Lane, Hale, Cheshire.  
 PLATT, J., Fernbank, 176 Southport Road, Ulnes-Walton, nr Leyland, Lancs.  
 PREW, H. C., 229 Chester Road, Hartford, Northwich, Cheshire.  
 PRINSLEY, DR D. M., 113 Guisborough Road, Nunthorpe, Middlesbrough, Tees-side.  
 †THE CLIFFORD PROCTOR NURSERIES LTD, Brookside, Chesterfield, Derbyshire.  
 PRYCE-PARRY, MRS R. I., Long Ridge, Delamere, Northwich, Cheshire.  
 PRYDE, MRS M., 3 Oldfield Close, Heswall, Wirral, Cheshire.  
 \*RICHARDS, D. A., Rydal Mount, Eskdale, Holmrook, Cumberland.  
 RITCHIE, J. R., 138 West End Avenue, Harrogate, Yorks.  
 ROWLINSON, M., 88 Cherry Lane, Lymm, Cheshire.  
 RUSS, V. J. A., 44 Rutland Close, Harrogate, Yorks.  
 SANDERSON, L., 18 Marshall Crescent, Morley, nr Leeds, Yorks.  
 SCOTT-RUSSELL, PROF. C., 6 Cavendish Road, Sheffield 11.  
 SENDER, M. B., 12 Hodgson Crescent, Leeds 17.  
 SHERWIN, MISS D. E., 6 Clifton Lane, Handsworth, Sheffield 9.  
 SMALL, DR W. A. W., 51 High Street, Normanby, Middlesbrough, Tees-side.  
 SMITH, MRS A., 11 Range Drive, Woodley, nr Stockport, Cheshire.  
 SMITH, G. D., The Bungalow, Harlow Car Gardens, Harrogate, Yorks.  
 †GERVASE SMITH & SONS LTD, Nurseryman, Hackney Road, Matlock, Derbyshire.  
 SMITH, MRS M. E., 16 Hillside, Findern, Derby, DE6 6AZ.  
 STAFFORD, F. W., 43 Henley Road, Mossley Hill, Liverpool 18.  
 TAMMEN, MRS K., Aiskew Villa, Aiskew, Bedale, Yorks.  
 THOMPSON, M. A., 62 Housley Park, Chapeltown, Sheffield, 530 4UE.  
 TOMKINS, H., Fort Lodge, Derby Haven, Isle of Man.  
 \*TOOTHILL, A. P., Springfield, 431 Whirlowdale Road, Sheffield 11.  
 TUCK, MRS D. M., Boarshurst, Greenfield, nr Oldham, Lancs.  
 TUDOR, MRS J., Moss Cottage, Moss Lane, Styal, Wilmslow, Cheshire.  
 TYSON, J. R., High Cross, Hawkshead, nr Ambleside, Westmorland.  
 VALE, T. C., 15 Bankfield Drive, Spondon, Derby.  
 WALKER, J. G., 47 Carr Street, Marsh, Huddersfield, HD3 4AU.  
 WALKER, DR J. K., Green Rigg, Long Lane, Billesdon, Leicester.  
 †WARD, D., Wards Nurseries, Eckington Road, Coal Aston, nr Sheffield.  
 WILLIS, A. W., Manor Cottage, 1 Front Street, Whickham, Newcastle-upon-Tyne, Co. Durham.  
 WILSON, MRS C., 10 Oakwood Close, Altofts, Normanton, Yorks.  
 WINFIELD, L. G., 50 Carsick Hill Crescent, Sheffield 10.  
 WRIGHT, REV. JAMES, 7 Mayfield Road, Timperley, Altrincham, Cheshire.  
 WRIGHT, J. D., 7 Wither Grove Close, Bamber Bridge, Preston, PR5 6NT.  
 \*WRIGHT, K. E., 37 Batsworth Drive, Sheffield, S5 8XW.  
 YOUNG, MRS G. R., 75 Granson Way, Washingborough, Lincoln.

#### Group 4. Wales.

- \*ARMSDEN, DR A., Glancerrig, Llanfaglan, Caernarvon, N. Wales.



- BIRD, D. S., Crud-yr-Awel, Trelyon, Aberdare, Glam.  
 CHATTAWAY, J. F., Drws-y-Coed, Llanbedrog, Pwllheli, Caerns.  
 CHESTER, H. H., Firdene, Three Crosses, Swansea, SA4 3NU.  
 †COLOURFUL GARDENS LTD, Llwyn Hudol, Criccieth, N. Wales.  
 COX, J. B., 18 Fairview Avenue, Guilsfield, Welshpool, Mont.  
 EVANS, T., 382 Clydach Road, Ynsforgan, Morriston, Swansea.  
 FARMER, G. G., Bryn Du, Mynytho, Pwllheli, Caerns.  
 GARRATT, D. M., Sarnia, Druid Road, Menai Bridge, Anglesey.  
 GRIFFITHS, MAJOR R. L., Little Heath, Trearddur Bay, Anglesey.  
 HAIGH, MRS M., Coed Berw, Pentre Berw, Gaerwen, Anglesey.  
 HUGHES, T., Trelma, Llanfwog, Ruthin, Denbighshire.  
 ISAAC, T. J., Melrose, Prescelly Park, Fishguard Road, Haverfordwest, Pembs.  
 KNIGHT, L. A., Eynhallow, Park Corner, Haverfordwest, Pembs.  
 LLOYD, R. J. H., Ffynnon Deilo, Pendoylan, nr Cowbridge, Glam., CF7 7UJ.  
 †MOSS, W., Nurseryman, Maes yr Esgob House, Afonwen, Mold, Flintshire.  
 OWEN, MRS G., Llwyn Hudol, Criccieth, N. Wales.  
 PARRIS, MRS A. A., Spring Cottage, Penycmaewr, Usk, Mon., NP5 1LU.  
 PUDDLE, CHARLES, Bodnant Gardens, Tal-y-cafn, Colwyn Bay, N. Wales.  
 †REES, J., Riverside Nurseries, Glan Conway, nr Colwyn Bay, N. Wales.  
 WEALE, R. D., Brynderwen, Bronllys, Brecon.  
 WILLIAMS, GRIFFITH, Bryn Eithin, Porthyfelin Road, Holyhead, Anglesey.  
 WILSON, G. H., Rallt, Ceunant, Caerns.

### Group 5. Midlands.

- ADAM, R. R., Barnards Green House, Malvern, Worcs.  
 †ANNABEL, A., Springwood, Church Drive, Ravenshead, Nottingham, NG15 9FG.  
 BAILEY, H., Brackenlea, 396 Sandon Road, Meir Heath, Stoke-on-Trent, Staffs.  
 BAILEY, J. H., Alpina, 4 The Crescent, Sweetpool Lane, West Hagley, Worcs.  
 BALL, G. V., Heatherways, 14 Manor Road, Streetly, Sutton Coldfield, Warks.  
 BALL, W. R., 97 Lambley Lane, Burton Joyce, Nottingham.  
 BARDEL, MRS M., Parlours Bank, 39 Hergest Road, Kington, Herefordshire.  
 BARRASS, J. B., 31 Clifford Bridge Road, Coventry, Warks.  
 BEER, J., 87 Sansome Road, Solihull, Warks.  
 BESWICK, G. I., The Cottage, Hilderstone Road, Meir Heath, Stoke-on-Trent.  
 BEVIN, MRS E., Colehurst Farm, Stretton-u-Fosse, Rugby, Warks.  
 BODENHAM, H. R., 101 Mount Pleasant, Kingswinford, Brierley Hill, Staffs.  
 CASTELLAN, MRS C., The Spinney, Bower Lane, Etching Hill, Rugeley, Staffs.  
 CHALLENGOR, T. A., New Leys, High Ash Farm, Meriden, nr Coventry, Warks.  
 CLARK, P. W., The Haven, 36 Bridgnorth Road, Stourton, nr Stourbridge, Worcs.  
 COOPER, B. H., 7 Corinne Close, Rednall, Birmingham.  
 COOPER, K. V., Abbeywood House, Newstead Abbey Park, Linby, Nottingham.  
 COUGHLIN, MRS R., 17 Alvechurch Highway, Lydiate Ash, Bromsgrove, Worcs.  
 †COX, D. C., 125 Central Avenue, Syston, Leicester (Goscote Nurseries, Ragdale, Melton Mowbray).  
 DAVIES, J. GWYN, Midland Wallboards Ltd, 120 Beakes Road, Smethwick, Warley, Warks.  
 EDWARDS, MRS M., Ashlands, Stoneleigh Road, Gibbet Hill, Coventry, Warks.  
 ELLIS, MISS F. M., Skerries, Upper Colwall, Malvern, Worcs.  
 EVANS, H., Devon House, Brecon Road, Hay-on-Wye, via Hereford.  
 FINDLAY, A. R., 32 Lichfield Road, Coleshill, Birmingham.  
 HEADLEY, W. H., 43 Craighill Road, Knighton, Leicester.  
 HEMMING, G. S., 58 Barnford Crescent, Oldbury, Warley, Worcs.  
 HORSLEY, N., 12 Perlethorpe Avenue, Mansfield, Notts.  
 HURLEY, MRS I., Old Grove Lodge, Llangrove, Ross-on-Wye, Herefordshire.  
 JONES, H. R. W., 11 Scott Road, Walsall, S. Staffs.  
 KENDALL, P. J., 45 Halesowen Road, Halesowen, Worcs.  
 LAUGHER, MISS F. H., 4 Parkway, Stone, Staffs.  
 \*LAW, R., Meadows, Draycote, nr Rugby, Warks.  
 LEAD, W. L., 22 Imperial Avenue, Gedling, Notts.  
 LIDGATE, MISS M. B. S., The Nutshell, Richards Castle, Ludlow, Shropshire.  
 LOVEGROVE, MRS K. A., Tanglewood, Llanishen, nr Chepstow, Mon.  
 LUNN, M. H., 46 Redland Grove, Carlton, Nottingham.  
 †MCLELLAND, MRS J., 238 Chester Road, Streetly, nr Sutton Coldfield, Warks.  
 MARTIN, J. E., Elder Tree Lane, Ashley, nr Market Drayton, Shropshire.  
 NORTHIDGE, W. H., New Lodge, Anslow, nr Burton-on-Trent, Staffs.  
 OAKMAN, C. W., 24 Yelverton Avenue, Evington, Leicester, LE5 6XR.  
 PERKS, H. S., 15 Leonard Road, Wollaston, Stourbridge, Worcs.

- PRINGLE, W. H., 56 Littleheath Lane, Lickey End, Bromsgrove, Worcs.  
 PRITCHARD, MISS E., 62 Sherifoot Lane, Four Oaks, Works.  
 QUAYLE, S. K., Loen, Bewdley, Worcs.  
 RADLEY, A. D., Lingfield, Yieldingtree, Clent, Stourbridge, Worcs.  
 RICHARDS, MRS C., Dryhill, Ragdon, Church Stretton, Salop.  
 ROBERTS, MRS E. S., Glenhurst, 121 Hadley Park Road, Leegomery, Wellington, Shropshire.  
 ROUGHAN, J. M., 27 Smith Street, Warwick, Works.  
 ROUND, MRS D. M., Kenelm, How Caple, Hereford.  
 SEGGIE, T. P., 98 Cannon Park Road, Coventry.  
 SELLARS, J. A., 16 Park Road, Dosthill, Tamworth, Staffs.  
 SHACKLOCK, MRS P., Applegarth, Paddock Close, Quorn, Leicester.  
 SILL, MRS I., 15 Grounds Road, Four Oaks, Sutton Coldfield, Works.  
 SIMONS, J. P., Swinford House, Rugby, Works.  
 SMITH, REV. SYDNEY, 9 Dark Lane, Hollywood, nr Birmingham.  
 †SPARKES, J. W., Beech Wood Nurseries, Gorcott Hill, Redditch, Worcs.  
 STANLEY, P. J., 20 Corbridge Road, Sutton Coldfield, Works.  
 STREET, H., Hill House, 38 Wyvern Road, Sutton Coldfield, Works.  
 †TABRAMHILL GARDENS LTD, Newstead Abbey Park, Linby, Nottingham.  
 TRUMAN, MRS E., 22 Queens Road, Walsall, Staffs.  
 TUNNICLIFFE, L. F., 28 Leahurst Road, West Bridgford, Nottingham NG2 6JG.  
 TURNER, A. S., 167 Cole Valley Road, Birmingham 28.  
 TURNER, E., 2 Newport Road, Hinstock, Market Drayton, Salop.  
 WARNER, R., Fairlands, Jack Haye Lane, Lightoaks, Stoke-on-Trent.  
 WHALLEY, T. W., Highfields, Newstead Abbey Park, Linby, Nottingham.  
 WHARMBY, H. E., Cherry Burton, 3 Powys Avenue, Leicester LE2 2DQ.  
 WILLIAMS, T. VAUGHAN, The Priory, Pillerton Priors, Works.  
 WOOD, MRS S. E., 73 Cheltondale Road, Solihull, Works.  
 WORSLEY, E., High Field, Chapel Lane, Threapwood, Cheadle, Stoke-on-Trent.  
 †YATES, G., Crail House, Newstead Abbey Park, Linby, Nottingham.

#### Group 6. Eastern and other North of Thames.

- AUSTIN, A. J., St Coronati, Warren Lane, Stanway, Colchester, Essex.  
 BAILEY, MRS M., 32 Cassiobury Drive, Watford, Herts.  
 BAKER, J. W., Frensham, Blue Mills Hill, Witham, Essex.  
 BIRCH, MRS M. C., 11 Warren Heath Avenue, Ipswich, Suffolk.  
 †BLOOM, ADRIAN J. R., Foggy Bottom, Bressingham, Diss, Norfolk.  
 BOWEN, A. E., Old Heath House, Heath Lane, Apsley Heath, via Bletchley, Bucks.  
 BRISTOW, A., The Grange, Thwaite, Eye, Suffolk.  
 BROWN, E. C., 52 Gatehill Road, Northwood, Middx.  
 BROWNE, MRS H. H. R., Gordonbush House, Egypt Lane, Farnham Common, Bucks.  
 †BRUMMAGE, NEIL H., Heathwoods Nursery, Fakenham Road, Taverham, Norwich, NOR 53X.  
 BUCKMASTER, A., 3 Rothschild Road, Linslade, Leighton Buzzard, Beds.  
 CANDLIN, MRS E. M., 22 Cleveland, Abingdon, Berks.  
 CHEASON, D. M., 4 Primrose Lane, Waterbeach, Cambs.  
 CHITSON, MR & MRS R. C., 54 Epping Road, Toothill, Ongar, Essex.  
 CONSTABLE, J. L. MALLARD, Ducks Hill Road, Northwood, Middx.  
 COOPER, MRS A. I., 24 Westwick Gardens, Cranford, Hounslow, Middx.  
 COWIE, A. T., 6 Maiden Erlegh Drive, Earley, Reading, Berks.  
 CRANE, MR & MRS H. H., Highmead, Cheney Street, Eastcote, Pinner, Middx.  
 CRAWFORD, MRS B., 19 Greenways, Abbots Langley, Herts.  
 DAVIES, L. T., The Bungalow, Berrymoor Road, Banbury, Oxon.  
 DISS, MRS H. M., 500 Felixstowe Road, Ipswich, Suffolk.  
 DODGSON, MRS F. W., Kaikoura, 127 Heath Park Road, Gidea Park, Essex.  
 DORN, A. J., Roughwood, Red Copse Lane, Boars Hill, Oxford.  
 †DRAYCOTT, J., Aldenham Heather Nursery, Round Bush, Aldenham, Watford, Herts.  
 DUNCAN, A. MCK., Windy Ridge, 32 Parsons Heath, Colchester, Essex.  
 FERGUSON, H. MCL., Pine Cottage, Mackerel Hill, Royston, Herts.  
 FINCH, J. E., The Barn, Wargrave Road, Twyford, Berks.  
 FINDLAY, T. H., The Director, Windsor Great Park Gardens, Berks.  
 FLICK, L. P., 109 Cranborne Way, Hayes, Middx.  
 GILMOUR, J., Director, The University Botanic Garden, Cambridge.  
 GOLTER, A. E., 2 Palmers Road, Borehamwood, Herts.  
 GOODE, MRS D., 9 Marcus Gardens, Thorpe Bay, Southend-on-Sea, Essex.  
 GREEN, MRS B., 143 Auckland Road, Ilford, Essex.

- HAWES, MISS M. M., 14 Rivermead, Yarmouth Road, Stalham, Norwich, Norfolk.  
 HEDDEN, MR & MRS L., 115 Browning Road, Hilly Field, Enfield, Middx.  
 HENLEY, MRS M., Gustard Wood House, Wheathampstead, Herts.  
 HIGINBOTHAM, MISS H., Leugars, Nightingale's Lane, Chalfont St Giles, Bucks.  
 HILL, B. L., Bracken, Church Road, Aspley Heath, nr Bletchley, Herts.  
 HOWES, MRS V., Green How, Folgate Lane, Old Costessey, Norwich, Norfolk.  
 HUXTABLE, E. J., Dunsteads, Ingatestone, Essex.  
 INWOOD, MRS G. I., 88 Alicia Gardens, Kenton, Harrow, Middx.  
 JONES, A. W., 4 Wellbank, Rectory Road, Taplow, Bucks.  
 LAWRENCE, C. R., Southernwood, Hargham Road, Attleborough, Norfolk.  
 †E. B. LEGRICE (ROSES) LTD, Yarmouth Road, North Walsham, Norfolk.  
 LOCK, A. J., Gomm's Wood, Knotty Green, Beaconsfield, Bucks.  
 LONDON, B. G., 6 Roedich Drive, Taverham, Norfolk, NOR 53X.  
 LOWEN, MRS J. E., 40 Priory Road, Bicknacre, Chelmsford, Essex.  
 MARTIN, R. H., 158 Broadfields Avenue, Edgware, Middx.  
 MARTIN, T. S., Abbey View, Heath Road, Potters Bar, Herts.  
 MCLEAN, A. G., Calver Lodge, Frithwood Avenue, Northwood, Middx.  
 MACROSTIE, SQN-LDR J. S., 42 Cavendish Crescent, R.A.F. Hornchurch, Essex.  
 MILNER, MRS C. A., 8 Westmoreland Avenue, Hornchurch, Essex.  
 MILSTED, REV. I. S., The Manse, 1 Millwood Road, Hounslow, Middx.  
 †MILTON HUTCHINGS LTD, Field Heath Nurseries, Hillingdon, Uxbridge, Middx.  
 MITCHELL, G., Heathlands, Doggetts Wood Close, Chalfont St Giles, Bucks.  
 MITCHELL, R., Murray Lodge, Burtons Lane, Chalfont St Giles, Bucks.  
 MOORE, S. S., Nester, Kingfisher Close, Hutton Mount, Brentwood, Essex.  
 MORGAN, SIR FRANK, Hyde Heath Farm, Amersham, Bucks.  
 NEWTON, C., Manor Hotel, Blakeney, Holt, Norfolk.  
 †NOTCUTTS NURSERIES LTD, Woodbridge, Suffolk.  
 PARKES, MRS D., Longmead, London Road, Braintree, Essex.  
 PATERSON, A., Little Sparrows, Hadhamford, Little Hadham, Herts.  
 PEARSON, MRS H. E. S., Pepper Alley, High Beach, Loughton, Essex.  
 PEDRICK, G. F., 9 Cedar Drive, Hatch End, Middx.  
 PRATT, MRS J. R., 513 Rayners Lane, Pinner, Middx.  
 PROSIO, DR. F., Metcalfe Farm, Hedgerley, nr Slough, Bucks.  
 READ, N. E. G., 31 Kewferry Road, Northwood, Middx.  
 READ, J. P., 70 St Marks Road, Henley-on-Thames, Oxon.  
 ROBERTS, MISS B., Pond Cottage, Chapmore End, Ware, Herts.  
 ROSE, D. J. T., 7 Kibblewhite Crescent, Twyford, Berks.  
 ROSS-LEWIN, MAJOR F. H. W., The White House, St Oaves, Great Yarmouth, Norfolk.  
 SANDROCK, F. E., Meadowsweet, Halstead Road, Kirby le Soken, Frinton-on-Sea, Essex.  
 SHEPPARD, MRS J. B., 24 South Approach, Moor Park, Northwood, Middx.  
 SMALL, J. R., Little Acre, Hanney Road, Southmoor, Kingston Bagpuize, nr Abingdon, Berks.  
 SNELL, S. C., Virginia House, Kelvedon, Essex.  
 SOUTHEY, J. F., 4 Yeomans Avenue, Harpenden, Herts.  
 STEVENS, J., 18 Priory Avenue, Harlow, Essex.  
 STOW, A. J., Josarno, 15 Highlands, Flackwell Heath, Bucks.  
 STRACHAN, MRS M. E., Little Gables, Manor Lane, Gerrards Cross, Bucks.  
 STRICKLAND, J., Wings, 5 Larchwood, Little Kingshill, Great Missenden, Bucks.  
 VIGRASS, B. W., 41 Newmans Way, Hadley Wood, Barnet, Herts.  
 WALLACE, AIR VICE MARSHAL J. B., 3 Wakehams Hill, Pinner, Middx.  
 WEIGHTMAN, MRS I., The Cottage, Higher Rads End, Eversholt, nr Bletchley, Bucks.  
 WILLIAMS, R. E., 15 Richmond Road, Romford, Essex, RM1 2DX.  
 WISEMAN, H. R., The Spinney, Highfield Drive, Broxbourne, Herts.

#### Group 7. London & the South East.

- ABEL, R. C., 250 Maidstone Road, Rainham, Kent.  
 ADDIS, A. P. J., Three Kings, Culverden Down, Tunbridge Wells, Kent.  
 ANDERSON, D. E. L., Little Court, Carron Lane, Midhurst, Sussex.  
 ATKINS, C. H., Ridge View, 65a Saunders Lane, Mayford, Woking, Surrey.  
 AUSTIN, W. G. L., Trewithiel, Russells Crescent, Horley, Surrey.  
 BEAMAN, MRS C. G., 43 Hall Lane, London, N.W.4.  
 BENN, THE HON. LADY, High Field, Pastens Road, Limpsfield, Oxted, Surrey.  
 BESSANT, P., Felbrigg, Glenesk Road, Eltham, S.E.9.  
 BETTAM, W. J., 71 Manor Road, Tankerton, Kent.  
 †BICKNELL, D. E., Pinks Hill Nurseries, Pinks Hill, Wood Street, Guildford.

- BOLT, H. W., Kyrenia Cottage, 36 Sheephouse, Farnham, Surrey.  
 BONNEY, S. J., 12 Old Oak Avenue, Chipstead, Coulsdon, CR33 PG.  
 BONNEY, MRS H., 12 Old Oak Avenue, Chipstead, Coulsdon, CR33 PG.  
 \*BOWERMAN, MR & MRS A. H., Champs Hill, Coldwaltham, Pulborough, Sussex.  
 BOXALL, MRS M. L., Gilridge, Sandy Lane, Kingswood, Surrey.  
 BRICKELL, C. D., The Lilacs, Wisley, Ripley, Surrey.  
 BRISTOWE, MRS E., Old Field, Sea Road, Little Common, Sussex.  
 BROWN, MRS C. R., Penn Cottage, 1 Downs Road, Seaford, Sussex.  
 BUCKLEY, R. M., Woodlands, Greenhill Road, Otford, Kent.  
 BURKE, DR S. A., Orchard Cottage, Manor House Lane, Effingham, Leatherhead, Surrey.  
 CAMERON, R., Great Comp, Borough Green, Sevenoaks, Kent.  
 CARPENTER, M. J., 91 Denver Road, Dartford, Kent.  
 \*CHARRINGTON, SIR JOHN and LADY, High Quarry, Crockham Hill, Edenbridge, Kent.  
 CHARRINGTON, MRS N. D., Dye House, Thursley, Godalming, Surrey.  
 CHURCHILL, P. J., 24 Huntingdon Gardens, Worcester Park, Surrey.  
 CLAYTON, I., Dunedin, 70 Keymer Road, Hassocks, Sussex.  
 CLAYTON, O. J., 8 Chittenden Cottages, Wisley, Ripley, Woking, Surrey.  
 CLIFFORD, LT-COL. J. A., Bindons, 8 The Avenue, Lewes, Sussex.  
 COPAS, B. A., 13 Pinewood Close, Shirley, Croydon, Surrey.  
 CRAMB, MRS I. M., 6 Denfield, Dorking, Surrey.  
 †CROFT GARDEN PRODUCTS, 1 Croft Gardens, Hanwell, W.7.  
 †CUTTS, MRS J., The White Lodge, Reading Road, Yateley, Camberley, Surrey.  
 DANIELS, MISS R. W., Wacousta, The Bishops Avenue, London, N2.  
 DAVIS, MRS M., 20 Morpeth Mansions, London, S.W.1.  
 †DAVIS, P. G., Timber Tops, Marley Common, Haslemere, Surrey.  
 DAY, MRS M., Littlefields, Maresfield Park, Uckfield, Sussex.  
 DEAVES, C. W., The Warren, Compton Way, Moor Park, Farnham, Surrey.  
 DENSTON, MRS R., 1 Heathfield Lodge, Carron Lane, Midhurst, Sussex.  
 DICKENSON, C. G., 8 Windyridge Close, Wimbledon, S.W.19.  
 DODDS, MRS B., Fairbourne Mill, Harrietsham, Kent.  
 †DOLLEY, F. H. SANDERSON, Dolleys Hill Nurseries, Normandy, Guildford, Surrey.  
 DOWLING, R., 41 Northwood Avenue, Purley, Surrey.  
 DUGUID, MRS J., Flat 6, Holbrook Park, Horsham, Sussex.  
 EDMONDS, C. F., Phoenix Lodge, Collendene Lane, Norwood Hill, Horley, Surrey.  
 ELLIS, H. C., Wedlake Letts and Bird, 6 Stone Buildings, London, W.C.2.  
 ELLIS, MRS H. C., Owl House, Uckfield, Sussex.  
 EVANS, W., 35 Vale Drive, Horsham, Sussex.  
 FALCONER, B. J., Merristwood, 409 Woodham Lane, Woodham, Weybridge, Surrey.  
 FILMORE, E. E., Coolmoyn, 5 Copsewood Way, Bearsted, Maidstone, Kent.  
 FREEMAN, G. W., Lavender Walk, Moat Lane, Sedlescombe, Sussex.  
 FRYER, MISS B. FIELD-, Collington Lodge, Collington Grove, Bexhill-on-Sea, Sussex.  
 FORTY, MRS J., Wyke Cottage, Clandon Road, West Clandon, nr Guildford, Surrey.  
 GILES, MRS J. W., 43 North Park, Eltham, London, S.E.9.  
 GODBOLT, MRS E., Altadena, Southview Road, Crowborough, Sussex.  
 GORDON-LENNOX, REAR ADMIRAL A., Fishers Hill, Midhurst, Sussex.  
 \*GRAY, MRS RONALD, Southcote, Hindhead, Surrey.  
 \*HALE, H., Ashgarth, Hill Road, Haslemere, Surrey.  
 HALL, MRS P., Orchard Cottage, Copthorne Road, Felbridge, nr East Grinstead, Sussex.  
 †HARDWICK, R. E., The Nurseries, Newick, Sussex.  
 HARRISON, MRS O. B., 23 Woodville Gardens, Ealing, London, W.5.  
 HASKELL, MRS A. J., Russetts, The Cut, Findon, Worthing, Sussex.  
 HICKS, DR A. R. H., 106 Balcombe Road, Horley, Surrey.  
 HILL, W. J., 540 Loose Road, Maidstone, Kent.  
 HOLMES, MISS J., Iron Latch, The Great Quarry, Guildford, Surrey.  
 HUME, MRS V. HAWTHORN, Priors Field Road, Godalming, Surrey.  
 †ISAAC, J. R., Manor Farmhouse Nurseries, East Lane, West Horsley, Leatherhead, Surrey.  
 JOHNSON, G. F., 63 Farhalls Crescent, Horsham, Sussex.  
 KAYE, MRS H. W., St Peter's Convent, Maybury Hill, Woking, Surrey.  
 KENT, C. H. I., Peter's Oak, Wellington Avenue, Virginia Water, Surrey.  
 KERRICH, G. J., Heath Crest, Westcott, Dorking, Surrey.  
 KIMBER, MRS P., Sandways, Upper Bourne Lane, Boundstone, Farnham, Surrey.  
 KING, MRS E., Spindlewood, Glebe Lane, Tilford, Farnham, Surrey.  
 KLEINWORT, MRS E., Heaselands, Haywards Heath, Sussex.  
 †KNAPP HILL NURSERY LTD, Woking, Surrey.  
 LEA, MRS F. E., Elmslea, Aldsworth Avenue, Goring-by-Sea, Sussex.



- LEACH, MRS J. R., Caesars Cottage, Camp End Road, St George's Hill, Weybridge, Surrey.
- LEE, MRS G. G., Birches, Kingswood Firs, Grayshott, Hindhead, Surrey.
- †LETTIS, MR & MRS J. F., The Farm Nurseries, Windlesham, Surrey.
- LEWIS, R. J., 22 Manor Drive, Whetstone, London, N.20.
- MACLEOD, MRS C. I., Yew Trees, Horley Row, Horley, Surrey.
- MACLEOD, MRS V., 12 Lower Sloane Street, S.W.1.
- MCCLINTOCK, D., Bracken Hill, Platt, Kent.
- MALIN, B. R., 88 Findon Road, Worthing, Sussex.
- †MANSEL, D., Meadow Cottage Nursery, Beaconsfield Road, Chelwood Gate, Haywards Heath, Sussex.
- MARTIN, C. F., Woodpeckers, Hillcrest, Southborough, Tunbridge Wells, Kent.
- MEDLYCOTT, B. R., 102 Copse Avenue, West Wickham, Kent.
- MELLOWS, W. T., 54 Bramley Avenue, Coulsdon, Surrey.
- MILLS, F. L., Craven Cottage, 9 Tadorne Road, Tadworth, Surrey.
- MILNE, M., Struan, Walton Lane, Bosham, Chichester, Sussex.
- MILSUM, J. N., Grays, Tilford, Farnham, Surrey.
- MOON, MISS F. M., The Red House, Coppice Lane, Reigate, Surrey.
- MOORMAN, G. F., Redtiles, West Barnham, nr Bognor Regis, Sussex.
- MORGENROTH, MRS W. J., Greensands, Primrose Way, Bramley, nr Guildford, Surrey.
- MULLARD, S. R., Danny, Hurstpierpoint, Hassocks, Sussex.
- NAPIER, G. B., Frith Manor, Lingfield Road, East Grinstead, Sussex.
- †NAVARA NURSERY LTD, 12 Guildford Road, Lightwater, Surrey.
- NICHOLSON, H. L., Farm Cottage, Westcott Road, Dorking, Surrey.
- NOLTINGK, A. G., Marianne, Semley Road, Hassocks, Sussex.
- OSBORN, J. C., Wisdom House, Delmonden Lane, Hawkhurst, Kent.
- PASCALL, D., 8 Church Hill, Purley, Surrey.
- PATRICK, P. S., c/o Mrs C. I. MacLeod (Secretary).
- PENNELL, C. E., 13 Church Mead, Keymer, nr Hassocks, Sussex.
- PENRITH, T. J., 104 Tonbridge Road, Maidstone, Kent.
- PETLEY, D. J., Haverbrack, Park View Road, Woldingham, Surrey, CR3 7DH.
- PHILBERT, L., 36 Palace Green, Addington, Surrey, CR0 9AG.
- POPE, A. L., 9 Laurel Avenue, Englefield Green, Surrey.
- PRIMAVESI, MRS A. M., 5 Denfield, Tower Hill, Dorking, Surrey.
- POULTER, B., 41 Pine Tree Hill, Pyrford, Woking, Surrey.
- QUAIFE, A. D., 14 Cheriton Avenue, Hayesford Park, Bromley, Kent.
- RANDALL, MR H. C. F., Trees, 4 Park Avenue, Farnborough, Kent, BR6 8LL.
- †RAWINSKY, G. B., Primrose Hill Nursery, Haslemere, Surrey.
- RAYNER, J. N., Fairbourne, 28 The Rise, Sevenoaks, Kent.
- ROLLAND, A. D., Broadoak Coppice, Little Common Road, Bexhill-on-Sea, Sussex.
- RUDDOCK, B. L., Dunromin, Bankside, Wadhurst, Sussex.
- †RUSSELL, J. L., L. R. Russell & Co., Richmond Nurseries, Windlesham, Surrey.
- RUTLAND, E., 2 Paddock Way, Woodham, Woking, Surrey.
- \*RYAN, MISS I. M. N., The Lithe, Sandy Lane, Reigate Heath, Surrey.
- SCOTT, MRS V. D., 15 Sutherland Avenue, Orpington, Kent, BR5 1QX.
- SHARLAND, W., Longacres, Munstead, Godalming, Surrey.
- SIMMONS, F. L., 76 Boltons Lane, Pyrford, Woking, Surrey.
- SIMPSON, MRS L., La Lodola, Seale Hill, Reigate, Surrey.
- SIMPSON, L. I., Leyswood House, Groombridge, via Tunbridge Wells, Kent.
- SMALL, D. J., 7 Cornfield Way, Tonbridge, Kent.
- \*SMITH, BRIG. C. H. R., Greenoge, Furze Hill, Seale, Farnham, Surrey.
- SOUTHON, R. A., Woodlands, Caxton Lane, Limsfield, Chart, Surrey.
- SPEEDY, B., 45 Farncombe Road, Tunbridge Wells, Kent.
- SPURLING, R. L., 2 Princes Avenue, Petts Wood, Kent.
- STERLING-MANSON, C., La Lodola, Seale Hill, Reigate, Surrey.
- STREETON, R. D., Little Harp, The Waldrons, Oxted, Surrey.
- STROVER, MRS E. D., High Wray, Lodge Hill Road, Farnham, Surrey.
- STYLES, H., Arran, Windermere Road, Lightwater, Surrey.
- SUCKLING, M. P., Rathlin, Groombridge, Kent.
- SWIFT, F. B., 35 Hitchen Hatch Lane, Sevenoaks, Kent.
- TAPNER, W. E. S., 36 Third Avenue, Worthing, Sussex.
- TAYLOR, SON LDR A., Altadena, Southview Road, Crowborough, Sussex.
- TOD, MRS J., Lavender Lodge, Old Schools Lane, Ewell, Surrey.
- TOPP, MRS R., 56 Link Lane, Wallington, Surrey.
- TOWNSEND, D. W. H., 6 Manor Road, East Grinstead, Sussex.
- TREEN, S. J., August Field, Farley Green, nr Albury, Surrey.
- TREW, B. A. U., 9 Sylvester Avenue, Chislehurst, Kent.
- †TROTMAN, G. F., Stonescapes Nursery, Little Grenville, Shackleford, Surrey.

- TURNER, P. B., 22 Rushlake Road, Brighton 6, Sussex.  
 †WALBRUGH, J. A., The Homestead Nurseries, Yapton Lane, Walberton, Arundel, Sussex.  
 †WALLACE AND BARR LTD, The Nurseries, Marden, Kent.  
 WALTER, REAR ADMIRAL K. MCN. CAMPBELL-, Clachan Beag, Achnasaul, Oban (in Summer); 19a Princes Gate Mews, S.W.7 (in Winter).  
 WEIGALL, BRIG. E. J., Cottage Hill, Rotherfield, Crowborough, Sussex.  
 WELLS, R. W., 3 Westfield, 35 Raglan Road, Reigate, Surrey.  
 WHICHER, L. S., 10 Chanctonbury Chase, Redhill, Surrey.  
 WHITE, A. S., Hopland, Crockham Hill, Edenbridge, Kent.  
 WILLIAMS, G., Crockham House, Westerham, Kent.  
 WOOLVING, MISS I., 58 Canonbie Road, Forest Hill, London, S.E.23.  
 WORRALL, MR and MRS F. A., Thursley End, 35 Petworth Road, Haslemere, Surrey.  
 YEARROW, MRS D. C., 1 Oakwood Avenue, Beckenham, Kent.  
 YOULE, MRS J., 58 Grand Drive, Raynes Park, London, S.W.20.  
 YOUNG, MRS K., Silverdale, 70 Craven Road, Chelsfield, Kent.

#### Group 8. South-West England.

- ADDISON, C. F. H., Earncroft, Foxbury Road, Grange Estate, St Leonards, Ringwood, Hants.  
 ALGER, MISS V., Inney Ward, St Lawrence's Hospital, Bodmin, Cornwall.  
 ALLAN, J. R., Courtil Rozel, Mount Durand, St Peter's Port, Guernsey.  
 †ANDERSON, J. N., Broadhurst, Grampound, Truro, Cornwall.  
 BISSET, MISS J. M., Summerfield, Bowerchalke, Salisbury, Wilts.  
 BOBE, K. H., 3 Strode Gardens, Sandy Lane, St Ives, Ringwood, Hants.  
 †BOND, S. W., Land of Nod Nurseries, Thuya Cottage, Petersfield Road, Whitehill, Borden, Hants.  
 BRIDGES, A. F. B., Sea Mist, Rocombe, Lyme Regis, Dorset.  
 BROWN, J. A., 31 Bowden Hill, Lacock, Chippenham, Wilts.  
 BRYANT, B. J., 19 Heath Ridge, Highlands, Long Ashton, Bristol.  
 BURFITT, MISS J., Aldersyde Cottage, Middle Road, Lytchett Matravers, Poole, Dorset.  
 CHUMLEIGH AND DISTRICT GARDEN LOVERS' SOCIETY, c/o Secretary, Mrs E. K. Dew, Highdown, Chawleigh, Chumleigh, Devon.  
 CHATWIN, MRS P. B., 18 Harrington Drive, Hatherley, Cheltenham, Glos.  
 CLARK, R. S., 45 Downside Avenue, Bitterne, Southampton.  
 COURT, W. F., 7 Frogmore Terrace, Kingsbridge, Devon.  
 CRABB, MISS D. V., Allet Cottage, Allet, Kenwyn, Truro, Cornwall.  
 CROAD, MISS Z., Greencroft Cottage, Hartley Mauditt, nr Alton, Hants.  
 CUTLER, MRS I. H., Two Ways, Furzebrook Road, Stoborough, Wareham, Dorset.  
 CUTLER, S. C., Wedgwood, Burley Road, Bransgore, Christchurch, Hants.  
 DUNCH, MISS D. D., Ashburn, Fordingbridge, Hants.  
 FARROW, MRS G. M., 28 St Ives Park, Ringwood, Hants.  
 FELL, MISS K. M., Corra Cottage, 32 Middlehill Road, Colehill, Wimborne, Dorset.  
 FINCH, MRS M. M., The Long Room, Spaxton, nr Bridgwater, Somerset.  
 FLANAGAN, MRS S., Cledry, Lamorna, nr Penzance, Cornwall.  
 GILES, J. C., 21 Chilton Grove, Yeovil, Somerset.  
 GOUGE, MRS K. E., Fenwynds, Wraxall, nr Bristol.  
 GOULTER, D., Warley, Hound Corner, Netley Abbey, Southampton.  
 GREEN, MISS H. K., Finlandia, 89 Lions Lane, Ashley Heath, nr Ringwood, Hants. BA 24 2HS.  
 \*GREENWOOD, J. E., Priory of Lady St Mary, Wareham, Dorset.  
 HAYDEN, MRS A. R., Southbank House, High Street, Upper Weston, Bath, Somerset.  
 HILL, MRS E. M., Innisfail, Mylor Downs, Falmouth, Cornwall.  
 HURRELL, MRS L., Moorgate, nr S. Brent, S. Devon.  
 †KOERPER, R., Battle House Gardens, Bromham, nr Chippenham, Wilts.  
 LANGLANDS, MAJOR P. C., Gollege, nr Wells, Somerset.  
 LAVENDER, J. J., The Wing, Shapwick House, Shapwick, Bridgwater, Somerset.  
 †LLOYD, P. V., Peter Lloyd Nurseries Ltd, Hale, Fordingbridge, Hants.  
 \*MAGNESS, MRS D., 19 High Park Road, Broadstone, Dorset.  
 NOBLETT, MISS L. H., Bryants, Curland, Taunton, Somerset.  
 †OSMOND, G., Archfield Nursery, Wickwar, nr Wotton-u-Edge, Glos.  
 PAISH, S. M., 91 Longleaze Estate, Wotton Bassett, nr Swindon, Wilts.  
 PLESTED, MRS D. M., 15 High Park Road, Broadstone, Dorset.  
 PRANCE, MRS D., Moorlands, Down Road, Tavistock, Devon.  
 PRIDE, T. R., Chetwynd, 188 West End Road, Bitterne, Southampton.  
 †PROUDLEY, MR and MRS B., Yew Tree Cottage, Two Bridges, Blakeney, Glos.

- RENSHAW, C. S., Allet Cottage, Allet, Kenwyn, Truro, Cornwall.  
 ROBERTSON, J. C. F., Brookdene, 43 Cirencester Road, Cheltenham, Glos.  
 ROLLASON, G., Valetta, 12 Bay Road, Clevedon, Somerset.  
 †ROWAN, R. R., White Heather Grower, Kernock, Saltash, Cornwall.  
 RUSSELL, Lt-COL. P. H. W., Little Kenwyn, Hewshott Lane, Liphook, Hants.  
 SEYMOUR, MRS K. M., Le Penage, Les Caches, St Martin, Guernsey, C.I.  
 SMITH, L. W., White Cottage, 6 Sherbrook Close, Budleigh Salterton, Devon.  
 SMITH, T. C., Heath House, Dunyeats Road, Broadstone, Dorset.  
 †STEVENS, F. J. (Maxwell and Beale Ltd), Wimborne, Dorset.  
 STRATHCONA, LORD, 20 Lansdown Crescent, Bath, Somerset.  
 SUTTON, MISS E. M. A., 6 Corinium Way, Stratton, St Margarets, nr Swindon, Wilts.  
 SWAFFIELD, MRS D., Furze Close, Wootton Rough, nr New Milton, Hants.  
 THOMAS, R. J., The Old Vicarage, St Erth, Hayle, Cornwall.  
 TWYNE, MISS M. F., Bubbles, Lodge Hill Road, Wickham, Hants.  
 UMPSELBY, A. W., 14 Willake Road, Kingskerswell, Newton Abbot, Devon.  
 UNDERHILL, T. L., Gardens Cottage, Dartington Hall, nr Totnes, Devon.  
 VICKERY, C., Belmont, Victoria Road, Yarmouth, I.O.W.  
 WEIR, MRS H. A., Bourne Stream, Holford, Bridgwater, Somerset.  
 WHITAKER, W., 6 Highfield Road, Cowes, I.O.W.  
 WHITWORTH, F., The Manor House, Curry Mallet, Taunton, Somerset.  
 WILLIAMS, I. LYON-, c/o New Place School, Shedfield, nr Southampton, Hants.  
 WISDEN, MISS D. E., Lark Rise, Whitehorn Drive, Landford, nr Salisbury, Wilts.  
 WYATT, R. N., Heath Mount, Rake, Liss, Hants.  
 YEATES, N. H. R., The House in the Woods, 45 Thornhill Park Road, Thornhill Park, Southampton, Hants, 502 6AP.

## Group 9. Overseas Membership.

### U.S.A.

- ALLEN, MRS H. Box 260, Rte 1, Kernersville, N.C., 27284.  
 ARBORETUM, University of Washington, Wash. 98105.  
 ARBORETUM, Barnes Foundation, Merion Station, Penn.  
 ARNOLD ARBORETUM, 22 Divinity Avenue, Cambridge, Mass., 02138.  
 BOARDMAN, L. V., Rte 3, Box 268, Sequim, Wash., 98382.  
 CLARKE, DR J. HAROLD, Long Beach, Washington.  
 COPELAND, HAROLD W., 77 Harding Lane, Chatham, Mass.  
 CROSS, JAMES E., Box 824, Cutchoque, New York 11935.  
 CROXTON, MRS D. S., 6309 Green Valley Road, Placerville, Calif., 95667.  
 CUMMINS, MRS ROBT. L., Box 147 R.D.I., Colts Neck, New Jersey, 07722.  
 FOLAND, MILTON, 451 N.W. Skyline Boulevard, Portland Oregon, 97229.  
 FULLER, HENRY R., 41 Sherwood Road, Easton, Conn.  
 GAMBEE, MRS A. SUMNER, 220 Speer Avenue, Englewood, N.J., 07631.  
 GARDNER, BEN, Pistol River, Oregon, 97444.  
 HOCHHEIMER, L., Ridge Farms Road, Norwalk, Conn., 06850.  
 HARPER, MRS P., P.O. Box 594, Bel Air, Maryland, 21014.  
 †KNIGHT, MRS ROBT. M., Heather Acres, Rte 3, Box 231, Elma, Wash. 98541.  
 †LEGENDRE, JACQUES L., Gulf Stream Nursery Inc., Wachapreague, Virginia.  
 GENERAL LIBRARY, Serials Dept., University California., Berkeley, Calif., 94720.  
 LIBRARY, RACHEL MCMASTERS MILLER HUNT BOTANICAL, Carnegie Institute of Technology, Schenley Park, Pittsburgh, Penn., 15213.  
 LONGWOOD GARDENS, Dept. Hort., Kennett Square, Penn., 19348.  
 †MAIALE, MISS JEANE, 251 So. Henderson Road, King of Prussia, Penn., 19406.  
 NANNING, MRS W. V., 12450 Fiori Lane, Sebastopol, Calif., 95472.  
 \*METHENY, MRS D., 2810 46th Avenue, Seattle, Wash., 98199.  
 MURRAY, A. EDWARD (JN), 70 Kraft Lane, Levittown, Penn., 19055.  
 NEWTON, MRS ELIZABETH C., Stone Chimneys Gardens, Reading, Vermont, 05062.  
 PETERSON, MRS J., 359 Lindsey Drive, Berwyn, Penna.  
 ROBINSON, HOWARD G., 28 Lynack Road, Hawthorne, New Jersey, 07506.  
 SCROGIN, DR JOHN B., 202 South Caldwell Street, Brevard, N.C., 28712.  
 †VAN SLOUN, NEIL J., Sylvan Nursery, 1028 Horseneck Road, So. Westport, Mass., 02790.  
 SMITH, HOMER S., 36 46-48th S.W. Seattle, Wash., 98116.  
 †W. M. STEWARD NURSERY, Rte 2, Box 225, Maple Valley, Wash., 98038.  
 STOLLER, DAVID, 6733 Springboro Pike, Dayton, Ohio, 45449.  
 WISE, ROBT. A., Rte. 1, Box 1525, Sandy, Oregon, 97055.

*Canada*

GRAY, J. C. F., 3180 W. 43rd Avenue, Vancouver 13, B.C.  
 HILL, F., 2309 Marine Drive, West Vancouver, B.C.  
 THE LIBRARY, Canada Agriculture, Sir John Carling Building, Ottawa.  
 STEELE, CAPT. R. M., 6 Halls Road, Boulderwood, Halifax, Nova Scotia.

*New Zealand*

HUGHES, S. R., 99 Bushey Hill Street, Tapanui, W. Otago.  
 NATIONAL LIBRARIAN, Private Bag, Wellington.  
 SUTTON, MRS E. S., 16 Awatea Road, Parnell, Auckland.  
 YOUNG, MRS J., Dundonald, Springhills, No. 6 R. D., Invercargill.

*Europe.*

ANDERSEN, AAGE, Dept, Hortic., Royal Agricultural College, Rolighedsvej 23, Copenhagen V, Denmark.  
 ARENS, J., Willem Pijperlaan 2, Baarn, Holland.  
 ARREGHINI, dr Ing Antonio, via Cernaia 9, Milano, Italy.  
 BERGE, HANS (5) Koln am Rhein, Marienburgerstr. 53, Germany.  
 BOUMA, T. B., Sweelincklaan 111, Bilthoven, Holland.  
 BROWN, CAPT, R. G., Budapestestr. 43, 8F 1 Berlin 30.  
 VAN DUREN, W. S. M. Jan van Nassaustraet 51, Hague, Holland.  
 THE DIRECTOR, Botanical Gardens and Belmonte Arboretum, Gen. Foulkesweg 37, Wageningen, Holland.  
 DANIELS, MEJ. C. POLAK-, Jan Muschlaan 74, Den Haag, Holland.  
 FABRIZI, FILIPPO TRIACA, via Degli Olivetani 8, Milano, Italy.  
 GEMEENTELIJKE BEPLANTINGEN, Bossen en Begraafplaatsen, Driebergen-Rijsenburg, Holland.  
 GROOTENDORST, H. J., Acadia, Burg, Colijnstraat 106, Boskoop, Holland.  
 VAN GROENINGEN, FRANK, van Eycklei 3, Antwerp, 1, Belgium.  
 HORCHNER, DR P., Kerkweg 58, Berkenwoude, (Z.H.), Nederland.  
 HORNUNG, HANS, 2223 Meldorf, Bruttstr. 11, Germany.  
 JANSON, A. W., Rua de Fez 181, Nevogilde, Porto, Portugal.  
 JONASSON, SNAEBJORN, Laugarasvegi 61, Reykjavik, Iceland.  
 KLEINSCHMIDT, P. G., Daansbergen 18, Halsteren, Holland.  
 KOK, E. B., Groenlaantje 14, Nunspeet, Holland.  
 DE LAVALX, MME A., Parc Vatonne-Yvette, Gif-sur-Yvette (Seine et Oise), France.  
 LIMA, MRS INGRID, Madlalia, pr Stavanger, Norway.  
 LOISEAU, MAURICE, Alle sur Semois, Belgium.  
 LUGARD, W. J., Heidepark 3, Wageningen Hoog, Holland.  
 LUNDELL TAGE, Bondegatan 37, 260 32 Ramlösabrunn, Sweden.  
 MAY, MRS J., via Dario Papa 8/9, Milan, Italy.  
 NOREGS LANDBRUKSHØGSKOLE, Vollebekk 47, Norway.  
 SEPPEN G., Burg R. Nepveulaan 11, Putten (GLD) Holland.  
 WIJNHOFEN, A. L. J., Hoogstraat 65, Wageningen, Holland.  
 †ZWIJNENBURG, P. G., Rijnveld 35, Boskoop, Holland.

*Other Overseas Members.*

ADAM SMITH, Mrs J., Yacht 'Mhari', The Yachtng Centre, Gzira, Malta.  
 FLAVIN, REV. P. P., Dhekelia Garrison, Officers Mess, Cyprus (Brit. Forces P.O. 53).  
 CREWE, BROWN, J. E., 278 Quorn Drive, North Riding, P.O. Honeydew, Transvaal, South Africa.  
 KEATS, MRS F. A., 2 Hollings Road, Malvern, Natal, South Africa.  
 SATOSHI MIWA, c/o Nogyo-Shikenjo, 845 Kita-Ando, Shizuoka, Japan.



We are pleased to introduce,  
in conjunction with Mr J. W. Sparkes  
and Mr P. W. Sparkes, their new varieties

*Calluna Vulgaris* Beechwood Crimson  
Beoley Crimson  
Carole Chapman  
Fairy  
Lambstails  
Silver Knight  
Sir John Charrington  
Spring Cream  
Spring Glow  
Spring Torch  
Summer Orange  
Winter Chocolate and

*Erica Carnea* Ann Sparkes

These, and other new varieties from  
other sources, are included in our  
Trade List now available.  
Plants available June 1970.

Bona fide trade enquiries only to

Tabramhill Gardens Limited  
Newstead Abbey Park  
Linby, Nottingham  
NG15 8GD

No retail enquiries please

# **new!**

## **Daboecia David Moss**

The only white daboecia to receive the Award of Merit  
in 1968 after trial at Wisley

Large selection of other heathers grown

Price List on request

**W. MOSS, MAES YR ESGOB HOUSE  
AFONWEN, MOLD, FLINTSHIRE CH7 5UP  
Telephone: Caerwys 218**

# **m a r i n u r e**

## **powdered seaweed manure**

Marinure is whole seaweed, dried and ground. Nothing is added and nothing taken away. It is a natural organic manure which suits heathers and all calcifugeous plants, providing the mild and slow acting nourishment which is natural to them.

56-lb 45/- carr. pd. inc. leaflet or please write for free leaflet and information sheet on Calciphobes mentioning the Heather Society to:

**Wilfrid Smith (Horticultural) Ltd., Gemini House, High Street, Edgware, Middlesex**

# **heathers**

## **for**

### **the enthusiast**

- Over 400 varieties offered and fully described
- Many new and exciting introductions
- Helpful suggestions on planting and cultivation
- All stock in containers suitable for planting all the year round
- Full details in our new pocket size catalogue to be published shortly obtainable on request from

## **Colourful Gardens Limited**

Llwyn Hudol  
Criccieth  
North Wales (office address only)

*Hardy Derbyshire grown Heathers, Rose and Fruit trees, Ornamental and Flowering Shrubs, Rock and Herbaceous plants, etc.*

*Catalogue and Gift Vouchers on request.*

**Gervase Smith & Sons Ltd.**

**Top and Fairfield Nurseries, Hackney Road, Matlock, Derbyshire. DE4 2PW**

**Phone Matlock 2425**

*Nurseries always open for inspection*

---

We grow

## Top Quality Heathers

by the thousand, in many choice varieties  
from open ground or jiffy pots

---

**E. B. LeGRICE (ROSES) LTD**  
**NORTH WALSHAM · NORFOLK**

---

Illustrated catalogue free on request  
57 acres of nursery, growing roses, shrubs,  
heathers, conifers and hedging

---



# SUNNYMOUNT NURSERY

Prop. G. M. Hamer

**Glossop Road, Chisworth  
Cheshire**

WE HAVE AN EXCELLENT SELECTION OF  
HARDY GROWN HEATHERS FOR ALL-  
THE-YEAR-ROUND COLOUR.  
CONTAINER GROWN AND OPEN GROUND.  
ALSO A GOOD SELECTION OF DWARF  
CONIFERS.



**Telephone: GLOSSOP 3964**

## MAXICROP FOR ERICACEAE

Maxicrop is used by professional growers and gardeners all over the country.

It stimulates vigorous, healthy growth, and is a valuable aid in propagation.

Those on limy soils should use Maxicrop complexed Iron. A watering every 3-4 weeks at 1:300 will keep your plants growing at negligible cost.

**MAXICROP LIMITED**  
**HOLDENBY, NORTHAMPTON**  
Telephone: EAST HADDON 227

## Neil H. Brummage

Specialist in the growing of  
HIGHEST QUALITY, REALISTICALLY PRICED  
**HEATHS AND HEATHERS**

ALL GROWN AT LEAST TWO YEARS

---

FULLY DESCRIPTIVE CATALOGUE

available on request from:

**HEATHWOODS NURSERY**

TEL. DRAYTON 219

FAKENHAM ROAD, TAVERHAM,  
NORWICH, NOR 53X

# ***Dolley's Hill Nurseries***

**NORMANDY - GUILDFORD - SURREY**

Telephone: Normandy 2144

## **GROWERS OF TOP QUALITY HEATHERS**

Careful labelling and correct nomenclature  
is considered to be a prime objective

Visitors are welcome (Tuesdays excepted) to  
view over 100 varieties growing in our display  
garden

— **descriptive catalogue on request** —

## **C. G. HOLLETT**

*Heathers*— Over 100 varieties for year-round colour

*Alpines*— More than 400 of the finest kinds, including  
many rare and unusual

Also dwarf shrubs and conifers, primulas and hardy plants

Fully descriptive 100-page catalogue price 2/-  
or send 4d stamp for price list

**VISITORS ALWAYS WELCOME**

**GREENBANK NURSERY**  
**NEW STREET, SEDBERGH, YORKSHIRE**

# The **ALEXPEAT** way

## TO GROW LIME-HATING PLANTS— ON LIMY SOILS

Peat Blocks and Alexpeat All Purpose Compost (Lime-free) enable every gardener to enjoy the beauty of lime-hating plants. The best way is to build up away from the lime, using the peat blocks to build a containing wall, bonding the blocks with a  $1\frac{1}{2}$ -in. "mortar" of Alexpeat All Purpose Compost (Lime-free), and using the Compost as soil. You can plant into the bonding as well as the bed. Peat blocks last many years and weather attractively without disintegrating.

**AP  
Peat  
Blocks**  
27/- for 50

**Alexpeat  
All Purpose  
Compost**  
21/6  $\frac{1}{2}$  cwt  
40/- 1 cwt

### TO WORK OUT YOUR REQUIREMENTS

12 blocks make a 10 ft run of wall.

4 courses make a wall 1 ft high.

100 blocks make 20 sq ft wall face.

These measurements allow for approx  $1\frac{1}{2}$ -in. Alexpeat bond between blocks.

Remember: Add a few blocks to cover breakages.



*Write for information Leaflet No 6 and privilege Order form :*

**Alexander Products Ltd, 54 Burnham-on-Sea, Somerset**

*Heathers, Alpines, Dwarf Conifers  
and other choice plants*

**George Osmond**

Archfield Nursery, Wickwar, Wotton-u-Edge, Glos.

Telephone: Wickwar 216



**IRISH HEATHERS ARE GOOD  
BUT OURS ARE OUTSTANDING!**

Collections for colour at a certain time or throughout the year made up to suit your requirements.

*Illustrated Shrub catalogue 2/6 incl. postage.*

**DAISY HILL NURSERIES LTD  
NEWRY, N. IRELAND****Heather  
Enthusiasts  
Know**

*that gardening skill consists of obtaining  
the most beauty with the least work.*

*But even heathers can be simplified.*

*We have tried to simplify them and their varied  
soil needs in our informative catalogue for which 1s 3d in  
stamps is appreciated.*

*Croft Garden Products, 1 Croft Gardens, Hanwell, W.7*

***The English Heather Garden***

by D. Fyfe Maxwell and P. S. Patrick

*A vast amount of first-hand information . . . it will  
remain a work of lasting value.*

Gardeners' Chronicle

Illustrated 40/- Macdonald

Order from your local bookseller

# FLOWERING AND FOLIAGE HEATHERS

## DWARF AND SLOW-GROWING CONIFERS

### **NOW! YEAR-ROUND PLANTING**

This year 100% of our stocks are individually grown—in polythene, plastic or peat pots and consequently may be safely planted at almost any time of the year.

All plants have been grown in these containers for at least one season and have developed complete and healthy root systems.

We believe this type of plant (grown from cuttings) is incomparably better and longer lived than those from layers or offsets.

We cater for both the beginner and the connoisseur with heathers selected from probably the largest collection available in this country

Heather garden design and planning advice with pleasure

## A. ANNABEL

“Springwood”, Church Drive, RAVENSHEAD,  
NOTTS.

*Telephone: BLIDWORTH 2756*





